

Data Repository Item J-A. Plots showing ^{40}Ar-^{39}Ar analytical results from mafic dike sample 28CHED WR#1 along the Denali fault in the Alaska Range. MSWD—mean square of weighted deviates.



Data Repository Item J-B. Plots showing ^{40}Ar-^{39}Ar analytical results from mafic dike sample 02PETERS WR#1 along the Denali fault in the Alaska Range. MSWD—mean square of weighted deviates.



Data Repository Item J-C. Plots showing ^{40}Ar-^{39}Ar analytical results from mafic dike sample 24PETERS WR#1 along the Denali fault in the Alaska Range. MSWD—mean square of weighted deviates.









Data Repository Item J-D. Plots showing ^{40}Ar-^{39}Ar analytical results from mafic dike sample 25PETERS WR#1 along the Denali fault in the Alaska Range. MSWD—mean square of weighted deviates.









Data Repository Item J-E. Plots showing ^{40}Ar-^{39}Ar analytical results from mafic dike sample 30PETER WR#1 along the Denali fault in the Alaska Range. MSWD—mean square of weighted deviates.



Data Repository Item J-F. Plots showing ^{40}Ar-^{39}Ar analytical results from mafic dike sample 55NEN WR#1 along the Denali fault in the Alaska Range. MSWD—mean



Data Repository Item J-G. Plots showing ^{40}Ar-^{39}Ar analytical results from mafic dike sample 02BAL WR#1 along the Denali fault in the Alaska Range. MSWD—mean square of weighted deviates.



Data Repository Item J-H. Plots showing ^{40}Ar-^{39}Ar analytical results from mafic dike sample 07BAL WR#1 along the Denali fault in the Alaska Range. MSWD—mean square of weighted deviates.







Data Repository Item J-I. Plots showing ^{40}Ar-^{39}Ar analytical results from mafic dike sample 28BAL WR#1 along the Denali fault in the Alaska Range. MSWD—mean square of weighted



Data Repository Item J-J. Plots showing ^{40}Ar-^{39}Ar analytical results from mafic dike sample 10910DIKE WR#1 along the Denali fault in the Alaska Range. MSWD—mean square of weighted deviates.