

Supplementary publication

References used to provide thermal histories for the data set.

- Andreissen, P.A.M., and Zeck, H.P., 1996, Fission-track constraints on timing of Alpine nappe emplacement and rates of cooling and exhumation, Torrox area, Betic Cordilleras, Spain: *Chemical Geology* v.131, 199-206.
- Armstrong, P.A., Ehlers, T.A., Chapman, D.S., Farley, K.A., and Kamp, P.J.J., 2003, Exhumation of the central Wasatch Mountains, Utah: 1. Patterns and timing of exhumation deduced from low-temperature thermochronology data: *Journal of Geophysical Research*, v.108, a2172.
- Arne, D., Worley, B., Wilson, C., Chen, S.F., Foster, D., Luo, Z.L., Lui, S.G., and Dirks, P., 1997, Differential exhumation in response to episodic thrusting along the eastern margin of the Tibetan Plateau. *Tectonophysics*: v.280, 239-256.
- Arne, D.C., Zentilli, M., Grist, A.M., and Collins, M., 1998, Constraints on the timing of thrusting during the Eurekan orogeny, Canadian Arctic archipelago: an integrated approach to thermal history analysis: *Canadian Journal of Earth Sciences*, v.35, 30-38.
- Biermeier, C., Wiesinger, M., Stüwe, K., Foster, D.A., Gibson, H.J., and Raza, A., 2003, Aspects of the structural and late thermal evolution of the Redbank Thrust system, central Australia: constraints from the Speares Metamorphics: *Australian Journal of Earth Sciences*, v.50, 983-999.
- Blackmer, G.C., Omar, G.I., and Gold, D.P., 1994, Post-Alleghanian unroofing history of the Appalachian Basin, Pennsylvania, from apatite fission track analysis and thermal models: *Tectonics*, v.13, 1259-1276.
- Blythe, A.E., and Kleinspehn, K.L., 1998, Tectonically versus climatically driven Cenozoic exhumation of the Eurasian plate margin, Svalbard: Fission track analyses: *Tectonics*, v.17, 621-639.
- Blythe, A.E., Murphy, J., and O'Sullivan, P.B., 1997, Tertiary cooling and deformation in the south-central Brooks Range: Evidence from zircon and apatite fission-track analyses: *Journal of Geology*, v.105, 583-599.
- Boettcher, S.S., and Milliken, K.L., 1994, Mesozoic-Cenozoic unroofing of the southern Appalachian basin: Apatite fission track evidence from Middle Pennsylvanian sandstones: *Journal of Geology*, v.102, 655-663.
- Bojar, A.-V., Neubauer, F., and Fritz, H., 1998, Cretaceous to Cenozoic thermal evolution of the southwestern South Carpathians: evidence from fission-track thermochronology: *Tectonophysics*, v.297, 229-249.
- Boztu, D., Jonckheere, R., Wagner, G.A., and Yeingil, Z., 2004, Slow Senonian and fast Palaeocene-Early Eocene uplift of the granitoids in the Central Eastern Pontides, Turkey: apatite fission-track results: *Tectonophysics*, v.382, 213-228.
- Brown, R.W., Summerfield, M.A., and Gleadow, A.J.W., 2002, Denudational history along a transect across the Drakensburg Escarpment of southern Africa derived from apatite fission track thermochronology: *Journal of Geophysical Research*, v.107, a2333.
- Cederbom, C., Larson, S., Tullborg, E., and Stiberg, J., 2000, Fission track thermochronology applied to Phanerozoic thermotectonic events in central and southern Sweden: *Tectonophysics*, v.316, 153-167.
- Clift, P.D., Carter, A., and Hurford, A.J., 1998, The erosional and uplift history of NE Atlantic passive margins: constraints on a passing plume: *Journal of the Geological Society of London*, v.155, 787-800.
- de Bruijne, C.H., and Andriessen, P.A.M., 2002, Far field effects of Alpine plate tectonism in the Iberian microplate recorded by fault-related denudation in the Spanish Central System: *Tectonophysics*, v.349, 161-184.
- De Borba, A.W., Vignol-Lelarge, M.L.M., Mizusaki, A.M.P., 2002, Uplift and denudation of the Caçapava do Sul granitoids (southern Brazil) during Late Paleozoic and Mesozoic: constraints from apatite fission-track data: *Journal of South American Earth Sciences*, v.15, 683-692.
- De Grave, J., and Van den haute, P., 2002, Denudation and cooling of the Lake Teletskoye Region in the Altai Mountains (South Siberia) as revealed by apatite fission-track thermochronology: *Tectonophysics*, v.349, 145-159.
- Emmel, B., Jacobs, J., Razakamanaana, T., 2004, Titanite and apatite fission track analyses on basement rocks of central-southern Madagascar: constraints on exhumation and denudation rates along the eastern rift shoulder of the Morondava basin: *Journal of African Earth Sciences*, v.38, 343-361.
- England, T.D.J., Currie, L.D., Massey, N.D.W., Roden-Tice, M.K., and Miller, D.S., 1997: Apatite fission track dating of the Cowichan fold and thrust system, southern Vancouver island, British Columbia: *Canadian Journal of Earth Sciences*, v.34, 635-645.

- Fayon, A.K., Peacock, S.M., Stump, E., and Reynolds, S.J., 2000: Fission track analysis of the footwall of the Catalina detachment fault, Arizona: Tectonic denudation, magmatism and erosion: *Journal of Geophysical Research*, v.105, 11047-11062.
- Foster, D.A., and Gleadow, A.J.W., 1996, Structural framework and denudation history of the flanks of the Kenya and Anza Rifts, East Africa: *Tectonics*, v.15, 258-271.
- Fügenschuh, B., Mancktelow, N.S., and Seward, D., 2000, Cretaceous to Neogene cooling and exhumation history of the Oetztal-Stubai basement complex, eastern Alps: A structural and fission track study: *Tectonics*, v.19, 905-918.
- Fügenschuh, B., and Schmid, S.M., 2003, Late stages of deformation and exhumation of an orogen constrained by fission-track data: A case study in the Western Alps: *Bulletin of the Geological Society of America*, v.115, 1425-1440.
- Gallagher, K., Hawkesworth, C.J., and Mantovani, M.S.M., 1994, The denudation history of the onshore continental margin of SE Brazil inferred from apatite fission track data: *Journal of Geophysical Research*, v.99, 18117-18145.
- Gleadow, A.J.W., Kohn, B.P., Brown, R.W., O'Sullivan, P.B., and Raza, A., 2002, Fission track thermotectonic imaging of the Australian continent: *Tectonophysics*, v.349, 5-21.
- Gunnell, Y., 2000, Apatite fission track thermochronology: an overview of its potential and limitations in geomorphology: *Basin Research*, v.12, 115-132.
- Hansen, K., Bergman, S.C., and Henk, B., 2001, The Jameson Land basin (east Greenland): a fission track study of the tectonic and thermal evolution in the Cenozoic North Atlantic spreading regime: *Tectonophysics*, v.331, 307-339.
- Harman, R., Gallagher, K., Brown, R., Raza, A., Buzzi, L., 1998, Accelerated denudation and tectonic/geomorphic reactivation of cratons of northeastern Brazil during the late Cretaceous: *Journal of Geophysical Research*, v.103, 27091-27105.
- Hejl, E., Coyle, D., Lal, N., Van den Haute, P., Wagner, G.A., 1997, Fission-track dating of the western border of the Bohemian massif: thermochronology and tectonic implications: *Geologische Rundschau*, v.86, 210-219.
- Hejl, E., Riedl, H., Weingartner, H., 2002, Post-plutonic unroofing and morphogenesis of the Attic-Cycladic complex (Aegea, Greece): *Tectonophysics*, v.349, 37-56.
- House, M.A., Kelley, S.A., and Roy, M., 2003, Refining the footwall cooling history of a rift flank uplift, Rio Grande rift, New Mexico: *Tectonics*, v.22, a1029.
- House, M.A., Wernicke, B.P., Farley, K.A., and Dumitru, T.A., 1997, Cenozoic thermal evolution of the central Sierra Nevada, California, from (U-Th)/He thermochronometry: *Earth Planetary Science Letters*, v.151, 167-179.
- Johnson, C., Harbury, N., and Hurford, A.J., 1997, The role of extension in the Miocene denudation of the Nevado-Filábride Complex, Betic cordillera (SE Spain): *Tectonics*, v.16, 189-204.
- Jolivet, M., Brunel, M., Seward, C., Xu, Z., Yang, J., Malavielle, J., Roger, F., Leyreloup, A., Arnaud, N., and Wu, C., 2003, Neogene extension and volcanism in the Kunlun Fault zone, northern Tibet: New constraints on the age of the Kunlun Fault, *Tectonics*, v.22, a1052.
- Juez-Larré, J., and Andriessen, P.A.M., 2002, Post Late Paleozoic tectonism in the southern Catalan Coastal Ranges (NE Spain), assessed by apatite fission track analysis: *Tectonophysics*, v.349, 113-129.
- Kalaswad, S., Roden, M.K., Miller, D.S., and Morisawa, M., 1993, Evolution of the continental margin of western India: New evidence from apatite fission-track dating: *Journal of Geology*, v.101, 667-673.
- Kamp, P.J.J., Whitehouse, I.W.S., and Newman, J., 1999, Constraints on the thermal and tectonic evolution of Greymouth coalfield: *New Zealand Journal of Geology and Geophysics*, v.42, 447-467.
- Leech, M.L., and Stockli, D.F., 2000, The late exhumation history of the ultrahigh-pressure Maksyutov complex, south Ural Mountains, from new apatite fission track data: *Tectonics*, v.19, 153-167.
- Lisker, F., and Fachmann, S., 2001, Phanerozoic history of the Mahanadi region, India: *Journal of Geophysical Research*, v.106, 22027-22050.
- Lorenzak, M., Seward, D., Vanderhaeghe, O., Teyssier, C., and Burg, J.P., 2001, Low temperature cooling history of the Shuswap metamorphic core complex, British Columbia: constraints from apatite and zircon fission-track ages: *Canadian Journal of Earth Sciences*, v.38, 1615-1625.
- Marsellsea, S.J., Green, P.F., and Webb, J., 2000, Thermal history of the Hodgkinson Province and Laura Basin, Queensland: multiple cooling episodes identified from fission track analysis and vitrinite reflectance data: *Australian Journal of Earth Sciences*, v.41, 779-799.

- Mathiesen, A., Bidstrup, T., and Christiansen, F., 2000, Denudation and uplift history of the Jameson Land basin, East Greenland – constrained from maturity and apatite fission track data, *Global and Planetary Change*, v.24, 275-301.
- Miller, D.S., and Duddy, I.R., 1989, Early Cretaceous uplift and erosion of the northern Appalachian basin, New York, based on apatite fission track analysis: *Earth Planetary Science Letters*, v.93, 35-49.
- Noble, W.P., Foster, D.A., and Gleadow, A.J.W., 1997, The post-Pan-African thermal and extensional history of crystalline basement rocks in eastern Tanzania: *Tectonophysics*, v.275, 331-350.
- O'Sullivan, P.B., Belton, D.X., and Orr, M., 2000, Post-orogenic thermotectonic history of the Mount Buffalo region, Lachlan Fold Belt, Australia: evidence for Mesozoic to Cenozoic wrench-fault reactivation?: *Tectonophysics*, v.317, 1-26.
- O'Sullivan, P.B., and Currie, L.D., 1996, Thermotectonic history of Mt. Logan, Yukon Territory, Canada: implications of multiple episodes of middle to late Cenozoic denudation: *Earth Planetary Science Letters*, v.144, 251-261.
- O'Sullivan, P.B., Foster, D.A., Kohn, B.P., and Gleadow, A.J.W., 1996, Multiple postorogenic denudation events: An example from the eastern Lachlan fold belt, Australia: *Geology*, v.24, 563-566.
- O'Sullivan, P.B., Hanks, C.L., Wallace, W.K., and Green, P.F., 1995, Multiple episodes of Cenozoic denudation in the northeastern Brooks Range: fission-track data from Okpilak batholith, Alaska: *Canadian Journal of Earth Sciences*, v.32, 1106-1118.
- O'Sullivan, P.B., and Lane, L.S., 1997, Early Tertiary thermotectonic history of the northern Yukon and adjacent Northwest Territories, arctic Canada: *Canadian Journal of Earth Sciences*, v.34, 1366-1378.
- O'Sullivan, P.B., Kohn, B.P., and Mitchell, M.M., 1998, Phanerozoic reactivation along a fundamental Proterozoic crustal fault, the Darling River Lineament, Australia: constraints from apatite fission track thermochronology: *Earth Planetary Science Letters*, v.164, 451-465.
- O'Sullivan, P.B., Mitchell, M.M., O'Sullivan, A.J., Kohn, B.P., and Gleadow, A.J.W., 2000, Thermotectonic history of the Bassian Rise, Australia: implications for the breakup of eastern Gondwana along Australia's southeastern margins: *Earth Planetary Science Letters*, v.182, 31-47.
- O'Sullivan, P.B., Murphy, J.M., and Blythe, A.E., 1997, Late Mesozoic and Cenozoic thermotectonic evolution of the central Brooks Range and adjacent North Slope foreland basins, Alaska: Including fission track results from the Trans-Alaska Crustal Transect (TACT): *Journal of Geophysical Research*, v.102, 20821-20845.
- O'Sullivan, P.B., and Wallace, W.K., 2002, Out-of-sequence basement involved structures in the Sadlerochit Mountain region of the Arctic National Wildlife Refuge, Alaska: Evidence and implications from fission-track thermochronology: *Bulletin Geological Society America*, v.114, 1356-1378.
- Omar, G.I., Lutz, T.M., and Giegengack, R., 1994, Apatite fission-track evidence for Laramide and post-Laramide uplift and anomalous thermal regime at the Beartooth overthrust, Montana-Wyoming: *Bulletin Geological Society America*, v.106, 74-85.
- Raab, M.J., Brown, R.W., Gallagher, K., Carter, A., and Weber, K., 2002, Late Cretaceous reactivation of major crustal shear zones in northern Namibia: constraints from apatite fission track analysis: *Tectonophysics*, v.349, 75-92.
- Richard, S.M., Smith, C.H., Kimbrough, D.L., Fitzgerald, P.G., Luyendyk, B.P., and McWilliams, M.O., 1994, Cooling history of the northern Ford Ranges, Marie Byrd Land, West Antarctica: *Tectonics*, v.13, 837-857.
- Ring, U., Johnson, C., Hetzel, R., Gessner, K., 2003, Tectonic denudation of a Late Cretaceous-Tertiary collisional belt: Regionally symmetric cooling patterns and their relation to extensional faults in the Anatolide belt of western Turkey: *Geological Magazine*, v.140, 421-441.
- Roden-Tice, M.K., Tice, S.J., and Schofield, I.S., 2000, Evidence for differential unroofing in the Adirondack mountains, New York State, determined by apatite fission-track thermochronology: *Journal of Geology*, v.108, 155-169.
- Roden-Tice, M.K., and Wintsch, R.P., 2002, Early Cretaceous normal faulting in southern New England: Evidence from apatite and zircon fission-track ages: *Journal of Geology*, v.110, 159-178.
- Rohrman, M., van der Beek, P., Andriessen, P., and Cloetingh, S., 1995, Meso-Cenozoic morphotectonic evolution of southern Norway: Neogene domal uplift inferred from apatite fission track thermochronology: *Tectonics*, v.14, 704-718.
- Rohrman, M., van der Beek, P., and Andriessen, P., 1994, Syn-rift thermal structure and post-rift evolution of the Oslo Rift (southeast Norway): New constraints from fission track thermochronology: *Earth Planetary Science Letters*, v.127, 39-54.

- Sachsenhofer, R.F., Jelen, B., Hasenbuttl, C., Dunkl, I., and Rainer, T., 2001, Thermal history of Tertiary basins in Slovenia (Alpine-Dinaride-Pannonian junction): *Tectonophysics*, v.334, 77-99.
- Sanders, C.A.E., Andriessen, P.A.M., and Cloetingh, S.A.P.L., 1999, Life cycle of the East Carpathian orogen: Erosion history of a doubly vergent critical wedge assessed by fission track thermochronology: *Journal of Geophysical Research*, v.104, 29095-29112.
- Seward, D., Pérez-Estaún, A., and Puchov, V., 1997, Preliminary fission-track results from the southern Urals – Sterliamak to Magnitogorsk: *Tectonophysics*, v.276, 281-290.
- Sobel, E.R., and Dumitru, T.A., 1997, Thrusting and exhumation around the margins of the western Tarim Basin during the India-Asia collision: *Journal of Geophysical Research*, v.102, 5043-5063.
- Sosson, M., Morrillon, A.C., Bourgois, J., Féraud, G., Poupeau, G., and Saint-Marc, P., 1998, Late exhumation stages of the Alpujarride Complex (western Betic Cordilleras, Spain): new thermochronological and structural data on Los Reales and Ojen nappes: *Tectonophysics*, v.285, 253-273.
- Spiegel, C., Sachsenhofer, R.F., Privalov, V.A., Zhykalyak, M.V., and Panova, E.A., 2004, Thermotectonic evolution of the Ukrainian Donbas Foldbelt: evidence from zircon and apatite fission track data: *Tectonophysics*, v.383, 193-215.
- Spikings, R.A., Foster, D.A., Kohn, B.P., and O'Sullivan, P.B., 2001, Late Neoproterozoic to Holocene thermal history of the Precambrian Georgetown Inlier, northeast Australia: *Australian Journal of Earth Sciences*, v.48, 9-24.
- Spikings, R.A., Seward, D., Winkler, W., and Ruiz, G.M., 2000, Low-temperature thermochronology of the northern Cordillera Real, Ecuador: Tectonic insights from zircon and apatite fission track analysis: *Tectonics*, v.19, 649-668.
- Spikings, R.A., Winkler, W., Seward, D., and Handler, R., 2001, Along strike variations in the thermal and tectonic response of the continental Ecuadorian andes to the collision with heterogeneous oceanic crust: *Earth Planetary Science Letters*, v.186, 57-73.
- Steinmann, M., Hungerbühler, D., Seward, D., and Winkler, W., 1999, Neogene tectonic evolution and exhumation of the southern Ecuadorian Andes: a combined stratigraphy and fission-track approach: *Tectonophysics*, v.307, 255-276.
- Thomson, S.N., 1998, Assessing the nature of tectonic contacts using fission-track thermochronology: An example from the Calabrian Arc, southern Italy: *Terra Nova*, v.10, 32-36.
- Thomson, S.N., 2002, Late Cenozoic geomorphic and tectonic evolution of the Patagonian andes between 42°S and 46°S: An appraisal based on fission-track results from the transpressional intra-arc Liquine-Ofqui fault zone: *Bulletin Geological Society America*, v.114, 1159-1173.
- Thomson, S.N., Hervé, F., and Stöckhert, B., 2001, Mesozoic-Cenozoic denudation history of the Patagonian andes (southern Chile) and its correlation to different subduction processes: *Tectonics*, v.20, 693-711.
- Thomson, S.N., Stöckhert, B., and Brix, M.R., 1998, Thermochronology of high-pressure metamorphic rocks of Crete, Greece: implications for the speed of tectonic processes: *Geology*, v.26, 259-262.
- Thomson, S.N., and Zeh, A., 2000, Fission-track thermochronology of the Ruhla Crystalline Complex: new constraints on the post-Variscan thermal evolution of the NW Saxo-Bohemian Massif: *Tectonophysics*, v.324, 17-35.
- Tseng, H.-Y., Burruss, R.C., Onstott, T.C., and Omar, G., 1999, Palaeofluid-flow circulation within a Triassic rift basin evidence from oil inclusions and thermal histories: *Bulletin Geological Society America*, v.111, 275-290.
- Wells, M.L., Snee, L.W., and Blythe, A.E., 2000, Dating of major normal fault systems using thermochronology: an example from the Raft River detachment, Basin and Range, western United States: *Journal of Geophysical Research*, v.105, 16303-16327.
- West, D.P.Jr., and Roden-Tice, M.K., 2003, Late Cretaceous reactivation of the Norumbega fault zone, Maine: Evidence from apatite fission-track ages: *Geology*, v.31, 649-652.
- Zarki-Jakni, B., van der Beek, P., Poupeau, G., Sosson, M., Labrin, E., Rossi, P., and Ferrandini, J., 2004, Cenozoic denudation of Corsica in response to Ligurian and Tyrrhenian extension: Results from apatite fission track thermochronology: *Tectonics*, v.23, a1003.