

Table DR1. Age model used for correlation between sea-level change and oxygen isotopic data in figure 2

Datum	Age (Ma)	Gale et al. (2002) ¹	Miller et al. (2003) ² ODP Leg 174AX Ancora site	Huber et al. (1999, 2002) ODP Site 1050 Hole C	This study ODP Site 1258
			Depth (m)	Depth (m)	Depth (mcd)
LO of <i>Helvetoglobotruncana helvetica</i>	91.39			492.93	
FO of <i>Helvetoglobotruncana helvetica</i>	93.29			500.76	
base of <i>Neocardioceras juddii</i> Zone	93.49	+			
FO of <i>Quadrum gartneri</i>	93.59		327.51		
base of <i>Metoicoceras geslinianum</i> Zone	93.73	+			
base of <i>Calycoceras guerangeri</i> Zone	93.99	+			
LO of <i>Corollithion kennedyi</i>	94.10			500.90	429.48 ³
LO of <i>Microstaurus chiastius</i>	94.40		335.80		
base of <i>Acanthoceras jukesbrowniei</i> Zone	94.71	+			
base of <i>Acanthoceras rhomagense</i> Zone	94.86	+			
FO of <i>Microrhabdulus decoratus</i>	95.56		343.97		
$\delta^{13}\text{C}_{\text{org}}$ spike at Mid Cenomanian Event ⁴	95.58				450.24
FO of <i>Rotalipora reicheli</i>	95.61			523.65	
base of <i>Cunningtoniceras inerme</i> Zone	95.84	+			
FO of <i>Rotalipora globotruncanoides</i> (= Albian/Cenomanian boundary)	99.15	+		551.03	
LO of <i>Planomalina buxtorfi</i>	100.00			555.57	
LO of <i>Biticinella breggiensis</i>	102.12			558.69	

Numerical age of each datum is referred from Hardenbol et al. (1998). LO; last occurrence. FO; first occurrence.

¹ Depth is not applicable, but ages used for correlation are marked by +. Error in age estimation is better than ± 0.1 m.y.

² Error in age estimation is ± 0.5 m.y.

³ Referred from Hardas and Mutterlose (2006)

⁴ Referred from Jarvis et al. (2006)

Table DR2. Planktic and benthic foraminiferal isotope data for ODP Site 1258

Hole	Core	Section	Top (cm)	Bottom (cm)	Depth (mbsf)	Depth (mcd)	Age (Ma)	Taxonomy	$\delta^{18}\text{O}$ (‰ vs.VPDB)	$\delta^{13}\text{C}$ (‰ vs.VPDB)
B	49	3	18.5	20.0	419.56	441.62	94.97	<i>Hedbergella delrioensis</i>	-3.6	-0.2
B	49	3	25.0	26.5	419.62	441.68	94.97	<i>Hedbergella delrioensis</i>	-3.7	0.4
B	49	3	30.0	31.5	419.67	441.73	94.97	<i>Bolivina anambra</i>	-1.5	-1.1
B	49	3	30.0	31.5	419.67	441.73	94.97	<i>Hedbergella delrioensis</i>	-3.3	0.5
A	45	1	20.0	21.5	418.90	443.78	95.12	<i>Hedbergella delrioensis</i>	-3.6	0.8
A	45	1	40.0	41.5	419.10	443.98	95.13	<i>Hedbergella delrioensis</i>	-4.1	0.7
A	45	1	40.0	41.5	419.10	443.98	95.13	<i>Hedbergella delrioensis</i>	-3.8	0.7
A	45	1	50.0	51.5	419.20	444.08	95.14	<i>Bolivina anambra</i>	-1.8	-0.4
A	45	1	50.0	51.5	419.20	444.08	95.14	<i>Hedbergella delrioensis</i>	-3.9	0.8
A	45	1	50.0	51.5	419.20	444.08	95.14	<i>Hedbergella delrioensis</i>	-3.9	0.8
A	45	1	50.0	51.5	419.20	444.08	95.14	<i>Hedbergella delrioensis</i>	-3.9	0.8
A	45	1	55.0	56.5	419.25	444.13	95.14	<i>Hedbergella delrioensis</i>	-4.0	0.8
A	45	1	60.0	61.5	419.30	444.18	95.15	<i>Hedbergella delrioensis</i>	-4.1	0.8
A	45	1	65.0	66.5	419.35	444.23	95.15	<i>Hedbergella delrioensis</i>	-3.9	0.8
A	45	1	65.0	66.5	419.35	444.23	95.15	<i>Hedbergella delrioensis</i>	-4.1	0.9
A	45	1	70.0	71.5	419.40	444.28	95.16	<i>Hedbergella delrioensis</i>	-3.9	0.7
A	45	1	80.0	81.5	419.50	444.38	95.16	<i>Hedbergella delrioensis</i>	-4.0	0.7
A	45	1	90.0	91.5	419.60	444.48	95.17	<i>Hedbergella delrioensis</i>	-4.0	0.6
A	45	1	110.0	111.5	419.80	444.68	95.18	<i>Hedbergella delrioensis</i>	-3.8	0.8
A	45	2	0.0	1.5	419.98	444.86	95.20	<i>Hedbergella delrioensis</i>	-3.8	0.5
A	45	2	0.0	1.5	419.98	444.86	95.20	<i>Hedbergella delrioensis</i>	-4.1	0.4
A	45	2	10.0	11.5	420.08	444.96	95.20	<i>Hedbergella delrioensis</i>	-4.0	0.4
A	45	2	50.0	51.5	420.48	445.36	95.23	<i>Hedbergella delrioensis</i>	-3.6	0.9
A	45	2	50.0	51.5	420.48	445.36	95.23	<i>Hedbergella delrioensis</i>	-3.6	0.9
A	45	2	65.0	66.5	420.63	445.51	95.24	<i>Bolivina anambra</i>	-1.0	-0.5
A	45	2	90.0	91.5	420.88	445.76	95.26	<i>Hedbergella delrioensis</i>	-4.2	0.9
A	45	2	90.0	91.5	420.88	445.76	95.26	<i>Hedbergella delrioensis</i>	-4.0	1.1
A	45	2	100.0	101.5	420.98	445.86	95.27	<i>Hedbergella delrioensis</i>	-4.2	0.8
A	45	2	110.0	111.5	421.08	445.96	95.27	<i>Hedbergella delrioensis</i>	-4.1	0.8
A	45	2	120.0	121.5	421.18	446.06	95.28	<i>Hedbergella delrioensis</i>	-4.0	1.3
A	45	2	120.0	121.5	421.18	446.06	95.28	<i>Hedbergella delrioensis</i>	-3.9	1.3
A	45	2	130.0	131.5	421.28	446.16	95.29	<i>Bolivina anambra</i>	-0.7	-0.6
A	45	2	130.0	131.5	421.28	446.16	95.29	<i>Gavelinella dakotensis</i>	-0.8	-1.3
A	45	3	0.0	1.5	421.34	446.22	95.29	<i>Bolivina anambra</i>	-0.9	-0.7
A	45	3	0.0	1.5	421.34	446.22	95.29	<i>Gavelinella dakotensis</i>	-0.8	-1.1
A	45	3	5.0	6.5	421.39	446.27	95.30	<i>Hedbergella delrioensis</i>	-4.1	1.0
A	45	3	10.0	11.5	421.44	446.32	95.30	<i>Bolivina anambra</i>	-0.9	-0.5
A	45	3	10.0	11.5	421.44	446.32	95.30	<i>Gavelinella dakotensis</i>	-0.8	-1.1
A	45	3	15.0	16.5	421.49	446.37	95.30	<i>Hedbergella delrioensis</i>	-3.7	1.0
A	45	3	15.0	16.5	421.49	446.37	95.30	<i>Hedbergella delrioensis</i>	-4.1	0.9
A	45	3	20.0	21.5	421.54	446.42	95.31	<i>Bolivina anambra</i>	-1.0	-0.3
A	45	3	20.0	21.5	421.54	446.42	95.31	<i>Hedbergella delrioensis</i>	-4.2	0.9
A	45	3	20.0	21.5	421.54	446.42	95.31	<i>Hedbergella delrioensis</i>	-4.3	0.9
A	45	3	20.0	21.5	421.54	446.42	95.31	<i>Neobulimina albertyensis</i>	-2.4	-0.2
A	45	3	25.0	26.5	421.59	446.47	95.31	<i>Hedbergella delrioensis</i>	-3.9	1.1
A	45	3	35.0	36.5	421.69	446.57	95.32	<i>Hedbergella delrioensis</i>	-3.4	0.9
A	45	3	40.0	41.5	421.74	446.62	95.32	<i>Bolivina anambra</i>	-2.2	-0.7
A	45	3	45.0	46.5	421.79	446.67	95.33	<i>Hedbergella delrioensis</i>	-3.9	0.7
A	45	3	45.0	46.5	421.79	446.67	95.33	<i>Neobulimina sp.</i>	-2.3	-0.3
A	45	3	65.0	66.5	421.99	446.87	95.34	<i>Hedbergella delrioensis</i>	-4.0	0.9
A	46	1	0.0	1.5	423.30	448.18	95.43	<i>Hedbergella delrioensis</i>	-3.8	0.9
A	46	1	10.0	11.5	423.40	448.28	95.44	<i>Hedbergella delrioensis</i>	-4.0	0.4
A	46	1	35.0	36.5	423.65	448.53	95.46	<i>Hedbergella delrioensis</i>	-3.5	1.0
A	46	1	60.0	61.5	423.90	448.78	95.48	<i>Hedbergella delrioensis</i>	-3.8	1.3
A	46	1	60.0	61.5	423.90	448.78	95.48	<i>Hedbergella delrioensis</i>	-3.8	1.2

A	46	1	80.0	81.5	424.10	448.98	95.49	<i>Hedbergella delrioensis</i>	-3.7	1.3
A	46	1	95.0	96.5	424.25	449.13	95.50	<i>Hedbergella delrioensis</i>	-3.5	1.1
A	46	1	100.0	101.5	424.30	449.18	95.50	<i>Hedbergella delrioensis</i>	-4.0	1.1
A	46	1	105.0	106.5	424.35	449.23	95.51	<i>Hedbergella delrioensis</i>	-4.0	1.0
A	46	1	110.0	111.5	424.40	449.28	95.51	<i>Bolivina anambra</i>	-0.8	-0.4
A	46	1	115.0	116.5	424.45	449.33	95.52	<i>Hedbergella delrioensis</i>	-3.7	1.0
A	46	2	5.0	6.5	424.71	449.59	95.53	<i>Bolivina anambra</i>	-1.1	-0.1
A	46	2	10.0	11.5	424.76	449.64	95.54	<i>Bolivina anambra</i>	-1.1	-0.1
A	46	2	15.0	16.5	424.81	449.69	95.54	<i>Bolivina anambra</i>	-1.3	-0.1
A	46	2	15.0	16.5	424.81	449.69	95.54	<i>Hedbergella delrioensis</i>	-3.9	1.2
A	46	2	35.0	36.5	425.01	449.89	95.56	<i>Hedbergella delrioensis</i>	-3.9	1.4
A	46	2	40.0	41.5	425.06	449.94	95.56	<i>Hedbergella delrioensis</i>	-3.8	1.6
A	46	2	45.0	46.5	425.11	449.99	95.56	<i>Hedbergella delrioensis</i>	-4.0	1.5
A	46	2	55.0	56.5	425.21	450.09	95.57	<i>Hedbergella delrioensis</i>	-3.4	1.8
A	46	2	70.0	71.5	425.36	450.24	95.58	<i>Gavelinella spp.</i>	-2.5	0.8
A	46	2	70.0	71.5	425.36	450.24	95.58	<i>Hedbergella delrioensis</i>	-3.6	1.8
A	46	2	70.0	71.5	425.36	450.24	95.58	<i>Neobulimina sp.</i>	-1.2	0.8
A	46	2	100.0	101.5	425.66	450.54	95.60	<i>Neobulimina albertensis</i>	-1.0	0.3
A	46	2	125.0	126.5	425.91	450.79	95.62	<i>Hedbergella delrioensis</i>	-3.9	2.1
A	46	2	125.0	126.5	425.91	450.79	95.62	<i>Neobulimina albertensis</i>	-0.6	0.7
A	46	2	130.0	131.5	425.96	450.84	95.62	<i>Hedbergella delrioensis</i>	-3.8	1.3
A	46	2	135.0	136.5	426.01	450.89	95.63	<i>Hedbergella delrioensis</i>	-3.6	1.4
A	46	2	135.0	136.5	426.01	450.89	95.63	<i>Hedbergella delrioensis</i>	-3.7	1.5
A	46	3	15.0	16.5	426.27	451.15	95.64	<i>Hedbergella delrioensis</i>	-3.9	0.8
A	46	3	45.0	46.5	426.57	451.45	95.67	<i>Bolivina anambra</i>	-1.5	-0.5
A	46	3	45.0	46.5	426.57	451.45	95.67	<i>Gavelinella spp.</i>	-1.9	-0.3
A	46	3	45.0	46.5	426.57	451.45	95.67	<i>Hedbergella delrioensis</i>	-3.8	1.0
A	46	3	50.0	51.5	426.62	451.50	95.67	<i>Hedbergella delrioensis</i>	-4.0	0.9
A	46	3	60.0	61.5	426.72	451.60	95.68	<i>Neobulimina sp.</i>	-2.7	-0.6
A	46	3	75.0	76.5	426.87	451.75	95.69	<i>Gavelinella dakotensis</i>	-2.6	-0.8
A	46	3	108.5	110.0	427.21	452.09	95.71	<i>Bolivina anambra</i>	-1.9	-0.7
A	46	3	108.5	110.0	427.21	452.09	95.71	<i>Neobulimina albertensis</i>	-2.0	-0.5
A	46	4	2.0	3.5	427.34	452.22	95.72	<i>Hedbergella delrioensis</i>	-4.1	0.9
A	46	4	5.0	6.5	427.37	452.25	95.72	<i>Hedbergella delrioensis</i>	-4.0	0.7
A	46	3	128.5	130.0	427.41	452.29	95.73	<i>Bolivina anambra</i>	-1.8	-0.6
A	46	4	20.0	21.5	427.52	452.40	95.73	<i>Neobulimina sp.</i>	-2.9	-0.7
A	46	4	35.0	36.5	427.67	452.55	95.74	Mixed benthics	-1.5	-0.2
A	46	4	40.0	41.5	427.72	452.60	95.75	<i>Bolivina anambra</i>	-1.3	-0.5
A	46	4	40.0	41.5	427.72	452.60	95.75	<i>Hedbergella delrioensis</i>	-3.9	1.1
A	46	4	40.0	41.5	427.72	452.60	95.75	<i>Neobulimina albertensis</i>	-0.9	0.0
A	46	4	45.0	46.5	427.77	452.65	95.75	<i>Hedbergella delrioensis</i>	-4.0	1.0
A	46	4	65.0	66.5	427.97	452.85	95.77	<i>Hedbergella delrioensis</i>	-4.0	1.1
A	46	4	70.0	71.5	428.02	452.90	95.77	<i>Hedbergella delrioensis</i>	-4.0	1.0
A	46	4	70.0	71.5	428.02	452.90	95.77	<i>Neobulimina albertensis</i>	-1.9	-0.2
A	46	4	85.0	86.5	428.17	453.05	95.78	<i>Hedbergella delrioensis</i>	-3.9	1.0
A	46	4	85.0	86.5	428.17	453.05	95.78	<i>Hedbergella delrioensis</i>	-3.9	1.1
A	46	4	85.0	86.5	428.17	453.05	95.78	<i>Neobulimina albertensis</i>	-1.2	-0.2
A	46	4	90.0	91.5	428.22	453.10	95.78	<i>Neobulimina albertensis</i>	-2.3	-0.2
A	46	4	100.0	101.5	428.32	453.20	95.79	<i>Bolivina anambra</i>	-1.7	-0.3
A	46	4	105.0	106.5	428.37	453.25	95.79	<i>Neobulimina albertensis</i>	-3.1	-0.6
A	46	4	110.0	111.5	428.42	453.30	95.80	<i>Hedbergella delrioensis</i>	-3.9	0.5
A	46	4	120.0	121.5	428.52	453.40	95.81	<i>Hedbergella delrioensis</i>	-4.0	0.6
A	46	4	124.0	125.5	428.56	453.44	95.81	<i>Hedbergella delrioensis</i>	-4.0	0.6
A	46	5	52.5	54.0	429.25	454.13	95.86	<i>Hedbergella delrioensis</i>	-3.9	0.3
C	23	1	5.0	6.5	428.35	454.31	95.87	<i>Hedbergella delrioensis</i>	-4.0	1.4
C	23	1	15.0	16.5	428.45	454.41	95.88	<i>Neobulimina sp.</i>	-3.4	0.1
C	23	1	20.0	21.5	428.50	454.46	95.88	<i>Hedbergella delrioensis</i>	-4.1	1.1
C	23	1	25.0	26.5	428.55	454.51	95.88	<i>Hedbergella delrioensis</i>	-4.1	1.1
C	23	1	30.0	31.5	428.60	454.56	95.89	<i>Hedbergella delrioensis</i>	-4.0	1.1
C	23	1	45.0	46.5	428.75	454.71	95.90	<i>Hedbergella delrioensis</i>	-4.0	1.1

C	23	1	45.0	46.5	428.75	454.71	95.90	Neobulimina sp.	-1.5	0.0
C	23	1	55.0	56.5	428.85	454.81	95.91	<i>Hedbergella delrioensis</i>	-4.0	1.2
C	23	1	60.0	61.5	428.90	454.86	95.91	<i>Gavelinella cf. intermedia</i>	-2.3	-0.1
C	23	1	65.0	66.5	428.95	454.91	95.91	<i>Hedbergella delrioensis</i>	-4.2	1.2
C	23	1	70.0	71.5	429.00	454.96	95.92	<i>Hedbergella delrioensis</i>	-4.0	0.8
C	23	1	75.0	76.5	429.05	455.01	95.92	Neobulimina sp.	-2.7	-0.5
C	23	1	90.0	91.5	429.20	455.16	95.93	<i>Hedbergella delrioensis</i>	-4.1	0.9
C	23	1	90.0	91.5	429.20	455.16	95.93	<i>Hedbergella delrioensis</i>	-4.3	0.4
C	23	1	90.0	91.5	429.20	455.16	95.93	Neobulimina sp.	-3.6	-0.2
C	23	2	30.0	31.5	429.87	455.83	95.98	<i>Hedbergella delrioensis</i>	-3.8	0.4
A	47	1	10.0	11.5	428.40	456.02	95.99	<i>Hedbergella delrioensis</i>	-4.1	0.7
C	23	2	60.0	61.5	430.17	456.13	96.00	<i>Hedbergella delrioensis</i>	-3.9	0.7
A	47	1	30.0	31.5	428.60	456.22	96.01	<i>Bolivina anambra</i>	-2.1	-0.6
A	47	1	30.0	31.5	428.60	456.22	96.01	<i>Hedbergella delrioensis</i>	-3.8	0.5
A	47	1	30.0	31.5	428.60	456.22	96.01	Neobulimina sp.	-2.9	-0.9
C	23	2	75.0	76.5	430.32	456.28	96.01	Neobulimina sp.	-2.8	-0.4
A	47	1	85.0	86.5	429.15	456.77	96.05	<i>Hedbergella delrioensis</i>	-4.2	0.7
A	47	1	95.0	96.5	429.25	456.87	96.05	<i>Hedbergella delrioensis</i>	-4.2	0.8
A	47	1	120.0	121.5	429.50	457.12	96.07	<i>Hedbergella delrioensis</i>	-4.2	0.9
A	47	1	125.0	126.5	429.55	457.17	96.07	<i>Hedbergella delrioensis</i>	-4.2	0.9
A	47	1	130.0	131.5	429.60	457.22	96.08	<i>Hedbergella delrioensis</i>	-4.0	0.7
A	47	1	135.0	136.5	429.65	457.27	96.08	<i>Hedbergella delrioensis</i>	-4.0	0.7
A	47	1	135.0	136.5	429.65	457.27	96.08	<i>Hedbergella delrioensis</i>	-4.1	0.8
A	47	1	135.0	136.5	429.65	457.27	96.08	Neobulimina sp.	-3.1	-0.5
A	47	1	140.0	141.5	429.70	457.32	96.08	<i>Hedbergella delrioensis</i>	-4.2	0.9
A	47	1	145.0	146.5	429.75	457.37	96.09	<i>Hedbergella delrioensis</i>	-4.1	0.9
A	47	2	0.0	1.5	429.80	457.42	96.09	<i>Hedbergella delrioensis</i>	-4.1	0.7
A	47	2	5.0	6.5	429.85	457.47	96.10	<i>Hedbergella delrioensis</i>	-4.1	0.9
A	47	2	10.0	11.5	429.90	457.52	96.10	<i>Hedbergella delrioensis</i>	-4.0	0.5
A	47	2	10.0	11.5	429.90	457.52	96.10	Neobulimina albertensis	-1.4	-0.4
A	47	2	20.0	21.5	430.00	457.62	96.11	<i>Hedbergella delrioensis</i>	-4.3	0.9
A	47	2	20.0	21.5	430.00	457.62	96.11	Neobulimina albertensis	-1.9	-0.6
A	47	2	25.0	26.5	430.05	457.67	96.11	<i>Hedbergella delrioensis</i>	-4.2	0.9
A	47	2	30.0	31.5	430.10	457.72	96.11	<i>Hedbergella delrioensis</i>	-4.1	0.9
A	47	2	35.0	36.5	430.15	457.77	96.12	<i>Hedbergella delrioensis</i>	-4.3	1.0
A	47	2	40.0	41.5	430.20	457.82	96.12	<i>Hedbergella delrioensis</i>	-4.1	1.0
A	47	2	45.0	46.5	430.25	457.87	96.12	<i>Gavelinella cf. intermedia</i>	-1.4	-0.2
A	47	2	45.0	46.5	430.25	457.87	96.12	<i>Hedbergella delrioensis</i>	-4.0	1.0
A	47	2	45.0	46.5	430.25	457.87	96.12	<i>Hedbergella delrioensis</i>	-4.2	1.0
A	47	2	50.0	51.5	430.30	457.92	96.13	<i>Bolivina anambra</i>	-1.4	-0.6
A	47	2	50.0	51.5	430.30	457.92	96.13	<i>Gavelinella spp.</i>	-1.6	-0.7
A	47	2	50.0	51.5	430.30	457.92	96.13	<i>Hedbergella delrioensis</i>	-4.4	1.1
A	47	2	50.0	51.5	430.30	457.92	96.13	Neobulimina albertensis	-2.0	-0.4
A	47	2	55.0	56.5	430.35	457.97	96.13	<i>Hedbergella delrioensis</i>	-4.4	1.3
A	47	2	60.0	61.5	430.40	458.02	96.13	<i>Gavelinella cf. intermedia</i>	-1.7	-0.4
A	47	2	60.0	61.5	430.40	458.02	96.13	<i>Hedbergella delrioensis</i>	-4.2	1.1
A	47	2	60.0	61.5	430.40	458.02	96.13	Neobulimina sp.	-2.2	-0.2
A	47	2	65.0	66.5	430.45	458.07	96.14	<i>Hedbergella delrioensis</i>	-4.2	1.2
A	47	2	70.0	71.5	430.50	458.12	96.14	<i>Hedbergella delrioensis</i>	-4.2	0.9
A	47	2	70.0	71.5	430.50	458.12	96.14	Neobulimina albertensis	-2.7	-0.9
A	47	2	80.0	81.5	430.60	458.22	96.15	<i>Hedbergella delrioensis</i>	-4.2	1.1
A	47	2	85.0	86.5	430.65	458.27	96.15	<i>Hedbergella delrioensis</i>	-4.2	0.9
A	47	2	93.5	95.0	430.74	458.36	96.16	<i>Hedbergella delrioensis</i>	-4.2	0.7
A	48	1	0.0	1.5	432.90	460.82	96.33	<i>Hedbergella delrioensis</i>	-4.2	0.7
A	48	1	5.0	6.5	432.95	460.87	96.34	<i>Gavelinella cf. intermedia</i>	-2.8	-0.8
A	48	1	20.0	21.5	433.10	461.02	96.35	<i>Hedbergella delrioensis</i>	-4.3	0.6
A	48	1	25.0	26.5	433.15	461.07	96.35	<i>Gavelinella cf. intermedia</i>	-2.5	-0.4
A	48	1	25.0	26.5	433.15	461.07	96.35	<i>Hedbergella delrioensis</i>	-4.2	0.6
A	48	1	40.0	41.5	433.30	461.22	96.36	<i>Bolivina anambra</i>	-1.9	-0.7
A	48	1	40.0	41.5	433.30	461.22	96.36	<i>Hedbergella delrioensis</i>	-3.9	0.7

A	48	1	40.0	41.5	433.30	461.22	96.36	<i>Neobulimina</i> sp.	-2.7	-0.6
A	48	1	55.0	56.5	433.45	461.37	96.37	<i>Neobulimina</i> sp.	-2.1	-0.7

Table DR3. References cited in Table DR1

-
- Hardas, P., and Mutterlose, J., 2006, Calcareous nannofossil biostratigraphy of the Cenomanian/Turonian boundary interval of ODP Leg 207 at the Demerara Rise: *Revue de Micropaléontologie*, v. 49, p. 165–179, doi: 10.1016/j.revmic.2006.04.005.
- Hardenbol, J., Thierry, J., Farley, M.B., Jaquin, T., de Graciansky, P.C., and Vail, P.R., 1998, Cretaceous chronostratigraphy, in Graciansky, P.C., Hardenbol, J., et al., eds., Mesozoic and Cenozoic Sequence Chronostratigraphic Framework of European Basins, SEPM (Society for Sedimentary Geology) Special Publication 60, p. 3-13.
- Jarvis, I., Gale, A.S., Jenkyns, H.C., and Pearce, M.A., 2006, Secular variation in Late Cretaceous carbon isotopes: A new $\delta^{13}\text{C}$ carbonate reference curve for the Cenomanian–Campanian (99.6–70.6 Ma): *Geological Magazine*, v. 143, p. 561–608, doi: 10.1017/S0016756806002421.