The seismic signature of lithospheric deformation beneath eastern North America due to Grenville and Appalachian orogenesis

Maureen D. Long¹*, Heather A. Ford^{1,2}, Lauren Abrahams^{1,3}, and Erin A. Wirth⁴

¹Department of Geology and Geophysics, Yale University, PO Box 208109, New Haven, CT, 06520 USA

²Now at Department of Earth Sciences, University of California, Riverside, 900 University Ave., Riverside, CA, 92521 USA

³Also at Department of Geoscience, University of Wisconsin, Madison, 1215 West Dayton St., Madison, WI, 53706 USA

⁴Department of Earth and Space Sciences, University of Washington, 4000 15th Ave. NE, Seattle, WA, 98195 USA

*Corresponding author. Email: maureen.long@yale.edu

SUPPLEMENTARY FIGURE CAPTIONS

Figure S1. Backazimuthal RF gathers for station ACSO. Radial (left) and transverse (right) component receiver functions computed as described in the main text. RFs were computed from data that were lowpass filtered at 0.5 Hz and binned according to backazimuth (values shown on y axis) in 10° bins.

Figure S2. Epicentral distance RF gathers for station ACSO. Radial (left) and transverse (right) component receiver functions computed as described in the main text. RFs were computed from data that were lowpass filtered at 0.5 Hz and binned according to epicentral distance (values shown on y axis) in 5° bins.

Figure S3. Same as Figure S1, for station BINY.

Figure S4. Same as Figure S2, for station BINY.




Figure S11. Same as Figure S1, for station TZTN.




Figure S1




Figure S2




Figure S3




Figure S4




Figure S5




Figure S6




Figure S7




Figure S8




Figure S9




Figure S10




Figure S11




Figure S12