

Li, L., Fan, M., Davila, N., Jesmok, G., Mitsunaga, B., Tripati, A., and Orme, D., 2018, Carbonate stable and clumped isotopic evidence for late Eocene moderate to high elevation of the east-central Tibetan Plateau and its geodynamic implications: *GSA Bulletin*, <https://doi.org/10.1130/B32060.1>.

Data Repository

Table DR1. Clumped isotope raw data and calculated temperatures.

Figure DR1. Details and references for existing quantitative paleoelevation studies in Tibet.

Carbonate stable and clumped isotopic evidence for late Eocene moderate to high elevation of the east-central Tibetan Plateau and its geodynamic implications

By Li et al.

Fig. DR1




Figure DR1. Topographic map of the Tibetan Plateau showing locations with quantitative paleoelevation studies. Dotted lines are suture zones: BNS, Bangong–Nujiang suture; IYS, Indus–Yalong suture; JSS, Jinsha suture; KLS, Kunlun suture; QLS, Qilian suture. References: 1-Garzione et al. (2000); 2-Rowley et al. (2001); 3-Spicer et al. (2003); 4-Currie et al. (2005); 5-Cyr et al. (2005); 6-Rowley and Currie (2006); 7-Wang et al. (2006); 8-DeCelles et al. (2007); 9-Murphy et al. (2009); 10-Polissar et al. (2009); 11-Saylor et al. (2009); 12-Xu et al. (2010); 13-DeCelles et al. (2011); 14-Quade et al. (2011); 15-Deng et al. (2012b); 16-Deng et al. (2012a); 17-Gébelin et al. (2013); 18-Xu et al. (2013); 19-Ding et al. (2014); 20-Hoke et al. (2014); 21-Huntington et al. (2014); 22-Khan et al. (2014); 23-Sun et al. (2014); 24-Zhuang et al. (2014); 25-Jia et al. (2015); 26-Li et al. (2015); 27-Sun et al. (2015); 28-Xu et al. (2015); 29-Currie et al. (2016); 30-Miao et al. (2016); 32-Wei et al. (2016); 33-Xu et al. (2017); 34-Ding et al. (2017); 35-Tang et al. (2017); 36-Ingalls et al. (2017); 37-This study.

References:

- Currie, B. S., Polissar, P. J., Rowley, D. B., Ingalls, M., Li, S., Olack, G., and Freeman, K. H., 2016, Multiproxy paleoaltimetry of the Late Oligocene-Pliocene Oiyug Basin, southern Tibet: *American Journal of Science*, v. 316, no. 5, p. 401-436.
- Currie, B. S., Rowley, D. B., and Tabor, N. J., 2005, Middle Miocene paleoaltimetry of southern Tibet: Implications for the role of mantle thickening and delamination in the Himalayan orogen: *Geology*, v. 33, no. 3, p. 181-184.
- Cyr, A. J., Currie, B. S., and Rowley, D. B., 2005, Geochemical evaluation of Fenghuoshan Group lacustrine carbonates, north-central Tibet: implications for the paleoaltimetry of the Eocene Tibetan Plateau: *Journal of Geology*, v. 113, no. 5, p. 517-533.
- DeCelles, P., Kapp, P., Quade, J., and Gehrels, G., 2011, Oligocene–Miocene Kailas basin, southwestern Tibet: Record of postcollisional upper-plate extension in the Indus-Yarlung suture zone: *Geological Society of America Bulletin*, v. 123, no. 7-8, p. 1337-1362.
- DeCelles, P. G., Quade, J., Kapp, P., Fan, M., Dettman, D. L., and Ding, L., 2007, High and dry in central Tibet during the Late Oligocene: *Earth and Planetary Science Letters*, v. 253, no. 3-4, p. 389-401.
- Deng, T., Li, Q., Tseng, Z. J., Takeuchi, G. T., Wang, Y., Xie, G., Wang, S., Hou, S., and Wang, X., 2012a, Locomotive implication of a Pliocene three-toed horse skeleton from Tibet and its paleo-altimetry significance: *Proceedings of the National Academy of Sciences*, v. 109, no. 19, p. 7374-7378.
- Deng, T., Wang, S., Xie, G., Li, Q., Hou, S., and Sun, B., 2012b, A mammalian fossil from the Dingqing Formation in the Lunpola Basin, northern Tibet, and its relevance to age and paleo-altimetry: *Chinese Science Bulletin*, v. 57, no. 2-3, p. 261-269.
- Ding, L., Spicer, R., Yang, J., Xu, Q., Cai, Q., Li, S., Lai, Q., Wang, H., Spicer, T., and Yue, Y., 2017, Quantifying the rise of the Himalaya orogen and implications for the South Asian monsoon: *Geology*, p. G38583. 38581.
- Ding, L., Xu, Q., Yue, Y. H., Wang, H. Q., Cai, F. L., and Li, S., 2014, The Andean-type Gangdese Mountains: Paleoelevation record from the Paleocene–Eocene Linzhou Basin: *Earth and Planetary Science Letters*, v. 392, p. 250-264.
- Garzione, C. N., Dettman, D. L., Quade, J., DeCelles, P. G., and Butler, R. F., 2000, High times on the Tibetan Plateau: Paleoelevation of the Thakkola graben, Nepal: *Geology*, v. 28, no. 4, p. 339-342.
- Gébelin, A., Mulch, A., Teyssier, C., Jessup, M. J., Law, R. D., and Brunel, M., 2013, The Miocene elevation of Mount Everest: *Geology*, v. 41, no. 7, p. 799-802.
- Hoke, G. D., Liu-Zeng, J., Hren, M., Wissink, G. K., and Garzione, C. N., 2014, Stable isotopes reveal high southeast Tibetan Plateau margin since the Paleogene: *Earth and Planetary Science Letters*, v. 394, p. 270-278.
- Huntington, K. W., Saylor, J., Quade, J., and Hudson, A. M., 2014, High late Miocene–Pliocene elevation of the Zhada Basin, southwestern Tibetan Plateau, from carbonate clumped isotope thermometry: *Geological Society of America Bulletin*, v. 127, no. 1-2, p. 181-199.
- Ingalls, M., Rowley, D. B., Olack, G., Currie, B. S., Li, S. Y., Schmidt, J. L., Tremblay, M. M., Polissar, P. J., Shuster, D. L., Ding, L., and Colman, A. S., 2017, Paleocene to Pliocene low-latitude, high-elevation basins of southern Tibet: Implications for tectonic models of India-Asia collision, Cenozoic climate, and geochemical weathering: *Geological Society of America Bulletin*, v. 130, no. 1-2, p. 307-330.

- Jia, G., Bai, Y., Ma, Y., Sun, J., and Peng, P. a., 2015, Paleoelevation of Tibetan Lunpola basin in the Oligocene–Miocene transition estimated from leaf wax lipid dual isotopes: *Global and Planetary Change*, v. 126, p. 14-22.
- Khan, M. A., Spicer, R. A., Bera, S., Ghosh, R., Yang, J., Spicer, T. E., Guo, S.-x., Su, T., Jacques, F., and Grote, P. J., 2014, Miocene to Pleistocene floras and climate of the Eastern Himalayan Siwaliks, and new palaeoelevation estimates for the Namling–Oiyug Basin, Tibet: *Global and Planetary Change*, v. 113, p. 1-10.
- Li, S., Currie, B. S., Rowley, D. B., and Ingalls, M., 2015, Cenozoic paleoaltimetry of the SE margin of the Tibetan Plateau: Constraints on the tectonic evolution of the region: *Earth and Planetary Science Letters*, v. 432, p. 415-424.
- Miao, Y. F., Wu, F. L., Chang, H., Fang, X. M., Deng, T., Sun, J. M., and Jin, C. S., 2016, A Late-Eocene palynological record from the Hoh Xil Basin, northern Tibetan Plateau, and its implications for stratigraphic age, paleoclimate and paleoelevation: *Gondwana Research*, v. 31, p. 241-252.
- Murphy, M. A., Saylor, J. E., and Ding, L., 2009, Late Miocene topographic inversion in southwest Tibet based on integrated paleoelevation reconstructions and structural history: *Earth and Planetary Science Letters*, v. 282, no. 1-4, p. 1-9.
- Polissar, P. J., Freeman, K. H., Rowley, D. B., McInerney, F. A., and Currie, B. S., 2009, Paleoaltimetry of the Tibetan Plateau from D/H ratios of lipid biomarkers: *Earth and Planetary Science Letters*, v. 287, no. 1-2, p. 64-76.
- Quade, J., Breecker, D. O., Daeron, M., and Eiler, J., 2011, The paleoaltimetry of Tibet: An isotopic perspective: *American Journal of Science*, v. 311, no. 2, p. 77-115.
- Rowley, D. B., and Currie, B. S., 2006, Palaeo-altimetry of the late Eocene to Miocene Lunpola basin, central Tibet: *Nature*, v. 439, no. 7077, p. 677-681.
- Rowley, D. B., Pierrehumbert, R. T., and Currie, B. S., 2001, A new approach to stable isotope-based paleoaltimetry: implications for paleoaltimetry and paleohypsometry of the High Himalaya since the Late Miocene: *Earth and Planetary Science Letters*, v. 188, no. 1-2, p. 253-268.
- Saylor, J., Quade, J., Dettman, D., DeCelles, P., Kapp, P., and Ding, L., 2009, The late Miocene through present paleoelevation history of southwestern Tibet: *American Journal of Science*, v. 309, no. 1, p. 1-42.
- Spicer, R. A., Harris, N. B. W., Widdowson, M., Herman, A. B., Guo, S., Valdes, P. J., Wolfe, J. A., and Kelley, S. P., 2003, Constant elevation of southern Tibet over the past 15 million years: *Nature*, v. 421, no. 6923, p. 622-624.
- Sun, B., Wang, Y. F., Li, C. S., Yang, J., Li, J. F., Li, Y. L., Deng, T., Wang, S. Q., Zhao, M., Spicer, R. A., Ferguson, D. K., and Mehrotra, R. C., 2015, Early Miocene elevation in northern Tibet estimated by palaeobotanical evidence: *Scientific reports*, v. 5, doi:10.1038/srep10379.
- Sun, J. M., Xu, Q. H., Liu, W. M., Zhang, Z. Q., Xue, L., and Zhao, P., 2014, Palynological evidence for the latest Oligocene-early Miocene paleoelevation estimate in the Lunpola Basin, central Tibet: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 399, p. 21-30.
- Tang, M., Liu-Zeng, J., Hoke, G. D., Xu, Q., Wang, W., Li, Z., Zhang, J., and Wang, W., 2017, Paleoelevation reconstruction of the Paleocene-Eocene Gonjo basin, SE-central Tibet: *Tectonophysics*, v. 712-713, p. 170-181.

- Wang, Y., Deng, T., and Biasatti, D., 2006, Ancient diets indicate significant uplift of southern Tibet after ca. 7 Ma: *Geology*, v. 34, no. 4, p. 309-312.
- Wei, Y., Zhang, K., Garzione, C. N., Xu, Y., Song, B., and Ji, J., 2016, Low palaeoelevation of the northern Lhasa terrane during late Eocene: Fossil foraminifera and stable isotope evidence from the Gerze Basin: *Scientific reports*, v. 6, doi: 10.1038/srep27508.
- Xu, Q., Ding, L., Hetzel, R., Yue, Y., and Rades, E. F., 2015, Low elevation of the northern Lhasa terrane in the Eocene: implications for relief development in south Tibet: *Terra Nova*, v. 27, no. 6, p. 458-466.
- Xu, Q., Ding, L., Zhang, L., Yang, D., Cai, F., Lai, Q., Liu, J., and Shi, R., 2010, Stable isotopes of modern herbivore tooth enamel in the Tibetan Plateau: Implications for paleoelevation reconstructions: *Chinese Science Bulletin*, v. 55, no. 1, p. 45-54.
- Xu, Q., Ding, L., Zhang, L. Y., Cai, F. L., Lai, Q. Z., Yang, D., and Liu-Zeng, J., 2013, Paleogene high elevations in the Qiangtang Terrane, central Tibetan Plateau: *Earth and Planetary Science Letters*, v. 362, p. 31-42.
- Xu, Q., Liu, X., and Ding, L., 2017, Miocene high-elevation landscape of the eastern Tibetan Plateau: *Geochemistry, Geophysics, Geosystems*, v. 17, doi:10.1002/ 2016GC006437.
- Zhuang, G. S., Brabdon, M. T., Pagani, M., and Kirishnan, S., 2014, Leaf wax stable isotopes from Northern Tibetan Plateau: Implications for uplift and climate since 15 Ma: *Earth and Planetary Science Letters*, v. 390, p. 186-198.