DR2020099 accompanies Youbi, N., Ernst, R.E., Soderlund, U., Boumehdi, M.A., Ait Lahna, A., Tassinari, C.C.G., El Moume, W., and Bensalah, M.K., 2020, The Central Iapetus magmatic province: An updated review and link with the ca. 580 Ma Gaskiers glaciation, *in* Adatte, T., Bond, D.P.G., and Keller, G., eds., Mass Extinctions, Volcanism, and Impacts: New Developments: Geological Society of America Special Paper 544, p. 35–66, https://doi.org/10.1130/2020.2544(02).

Text DR4. References cited in **Table DR4.**

Baird, G.B., Figg, S. A., and Chamberlain, K. R. 2014, Intrusive age and geochemistry of the Kebne Dyke Complex in the Seve Nappe Complex, Kebnekaise Massif, arctic Sweden Caledonides: Journal of the Geological Society of Sweden GFF, v. 136, no. 4, p. 556–570, doi.org/10.1080/11035897.2014.924553

Bingen, B. & Solli, A. 2009, Geochronology of magmatism in the Caledonian and Sveconorwegian belts of Baltica: synopsis for detrital zircon provenance studies: Norwegian Journal of Geology (Norsk Geologisk Tidsskrift), v. 89, (4), p. 267-290.

Bingen, B., Demaiffe, D. & van Breemen, O. 1998, The 616 Ma Old Egersund Basaltic Dike Swarm, Sw Norway, and Late Neoproterozoic Opening of the Iapetus Ocean: The Journal of Geology 106, p. 565-574, doi.org/10.1086/516042

Compston, W., Sambridge, M.S., Reinfrank, R.F., Moczydeowska, M., Vidal, G., and Claesson, S., 1995, Numerical ages of volcanic rocks and the earliest fauna1 zone within the Late Precambrian of east Poland: Journal of the Geological Society, v. 152, p. 599–611, doi.org/10.1144/gsjgs.152.4.0599

Corfu, F., Roberts, R.J., Torsvik, T.H., Ashwal, L.D., and Ramsay, D.M. 2007, Peri-Gondwanan elements in the Caledonian Nappes of Finnmark, Northern Norway: Implications for the paleogeographic framework of the Scandinavian Caledonides: American Journal of Science, v. 307, p. 434-458, doi: 10.2475/02.2007.05

Grazhdankin, D., 2004, Patterns of distribution in the Ediacaran biotas: Facies versus biogeography and evolution: Paleobiology, v. 30, p. 203-221, doi:10.1666 /0094-8373(2004)030<0203:PODITE>2.0.CO;2.

Grazhdankin, D.V., Marusin, V.V., Meert, J., Krupenin, M.T., Maslov, A.V., 2011, Kotlin regional stage in the South Urals. Doklady Earth Sciences, v. 440, p. 1222–1226, doi.org/10.1134/S1028334X11090170

Iglesia Llanos, M.P., Tait, J.A., Popov, V., Abalmasova, A., 2005, Palaeomagnetic data from Ediacaran (Vendian) sediments of the Arkhangelsk region, NW Russia: An alternative apparent polar wander path of Baltica for the Late Proterozoic–Early Palaeozoic: Earth and Planetary Science Letters, v. 240, p. 732–747, doi.org/10.1016/j.epsl.2005.09.063

Kirsch, M., and Svenningsen, O., 2015, Root zone of a continental rift: the Neoproterozoic Kebnekaise Intrusive Complex, northern Swedish Caledonides, *in* Söderlund, U., Klausen, M.B., Ernst, R.E., and Bleeke W., eds., New advances in using large igneous provinces (LIPs) to reconstruct ancient supercontinents: Journal of the Geological Society of Sweden GFF, v. 138, 1, p. 31–53, doi.org/10.1080/11035897.2015.1055298

Kumpulainen, R. A., Hamilton, M. A., Söderlund U. , and J. P. Nystuen, 2016, A new U -Pb baddeleyite age for the Ottfjället dolerite dyke swarm in the Scandinavian Caledonides – a minimum age for late Neoprotero-zoic glaciation in Baltica. 32nd Nordic Geological Winter Meeting, Helsinki, Finland, Abstracts Volume, p. 171-172

Kuznetsov, N. B., Belousova, E. A., Krupenin, M. T., Romanyuk, T. V., Maslov, A. V., 2017 The results of geochronological and isotope–geochemical study of zircons from tuff of the Sylvitsa Group (western slope of the Middle Urals): The origin of ash layers in Vendian rocks of the East European Platform: Doklady Earth Sciences, v. 473, 1, p. 359–362, doi.org/10.1134/S1028334X17030254

Levashova, N. M., Bazhenov, M. L., Meert, J. G., Kuznetsov, N. B., Golovanova, I. V., Danukalov, K. N., and Fedorova, N. M. 2013, Paleogeography of Baltica in the Ediacaran: Paleomagnetic and geochronological data from the clastic Zigan Formation,

South Urals: Precambrian Research, v. 236, p. 16–30, doi.org/10.1016/j.precamres.2013.06.006

Martin, M.W., Grazhdankin, D.V., Bowring, S.A., Evans, D.A.D., Fedonkin, M.A., and Kirschvink, J.L., 2000, Age of Neoproterozoic bilaterian body and trace fossils, White Sea, Russia: Implications for metazoan evolution: Science, v. 288, p. 841–845, doi:10.1126/science.288.5467.841.

Maslov, A.V., Meert, J., Levashova, N.M., Ronkin, Yu.L., Grazhdankin, D.V., Kuznetsov, N.B., Krupenin, M.T., Fedorova, N.M., and Ipat'eva, I.S. 2013, New constraints for the age of Vendian glacial deposits (Central Urals): Doklady Earth Sciences, v.449, 1, p. 303–308, doi.org/10.1134/S1028334X13030203

Nosova, A.A, Kuz'menkova, O.F. & Shumlyanskiy, L.V., 2010, in Magmatism and metamorphism in Earth history. Proceedings of the 11th All-Russian petrographic meeting, p. 103–104

Paulsson, O., and Andréasson, P.G., 2002, Attempted break-up of Rodinia at 850 Ma: geochronological evidence from the Seve–Kalak Superterrane, Scandinavian Caledonides: Journal of the Geological Society, v. 159, p. 751–761, doi.org/10.1144/0016-764901-156

Pedersen, R.B., Dunning, G.R. & Robins, B. 1989, U-Pb ages of nepheline syenite pegmatites from the Seiland Magmatic Province, N Norway, *in* Gayer, R.A., eds., The Caledonide Geology of Scandinavia p. 3-8, Springer

Roberts , R. J., Corfu , F., Torsvik, T. H., Hetherington, C. J., and Ashwal, L. D., 2010, Age of alkaline rocks in the Seiland Igneous Province, Northern Norway: Journal of the Geological Society, London, v. 167, 2010, p. 71-81. doi: 10.1144/0016-76492009-014.

Roberts, D. & Walker, N. 1997, U-Pb zircon age of a dolerite dyke from near Hamningberg, Varanger Peninsula, North Norway, and its regional significance: Norges Geologiske Undersøkelse Bulletin (NGUB), v. 432, p. 95-102.

Roberts, R.J., Corfu, F., Torsvik, T.H., Ashwal, L.D. & Ramsay, D.M. 2006, Short-lived mafic magmatism at 560–570 Ma in the northern Norwegian Caledonides: U–Pb zircon ages from the Seiland Igneous Province: Geological Magazine, v. 143, p. 887-903, doi.org/10.1017/S0016756806002512

Ronkin, Yu. L., Grazhdankin, D. V., Maslov A. V., Mizens, G. A., Matukov D. I., Krupenin M. T., Petrov G. A., Lepikhina O. P., Kornilova, A. Yu., 2006, U-Pb (SHRIMP II) age of zircons from ash beds of the chernokamen formation, Vendian Sylvitsa group (Central Urals): Doklady Earth Sciences, v. 411, Issue 2, p. 1341–1345, doi.org/10.1134/S1028334X06090029

Root, D. & Corfu, F., 2012, U–Pb geochronology of two discrete Ordovician high-pressure metamorphic events in the Seve Nappe Complex, Scandinavian Caledonides: Contributions to Mineralogy and Petrology, v. 163, p. 769–788, doi.org/10.1007/s00410-011-0698-0

Schmitz, M. D., 2012, Radiogenic isotopes geochronology, *in* Gradstein, F. M., Ogg, J.G., and Schmitz, M, Ogg, G., eds., The Geologic Time Scale 2012. Published by Elsevier B.V, p. 115-126, doi.org/10.1016/B978-0-444-59425-9.00006-8

Shumlyanskiy, L.V., Andreasson, P.G., Mel'nichuk, V.G. & Derevs'ka, K.I., 2006 in Shumlyanskiy, L.V., eds., The Volynian copper. Scientific Transactions of Institute of Basic Research, p. 105–115, Znann'a.

Shumlyanskyy, L., Nosova, A., Billström, K., Söderlund, U., Andréasson P. & Kuzmenkova, O., 2016, The U–Pb zircon and baddeleyite ages of the Neoproterozoic Volyn Large Igneous Province: implication for the age of the magmatism and the nature of a crustal

contaminant , *in* Söderlund, U., Klausen, M.B., Ernst, R.E., and Bleeke W., eds., New advances in using large igneous provinces (LIPs) to reconstruct ancient supercontinents: Journal of the Geological Society of Sweden GFF, v. 138, 1, p. 17–30, doi.org/10.1080/11035897.2015.1123289

Svenningsen, O.M., 2001, Onset of seafloor spreading in the Iapetus Ocean at 608 Ma: precise age of the Sarek Dyke Swarm, northern Swedish Caledonides: Precambrian Research, v. 110, p. 241–245, doi.org/10.1016/S0301-9268(01)00189-9