DR2020099 accompanies Youbi, N., Ernst, R.E., Soderlund, U., Boumehdi, M.A., Ait Lahna, A., Tassinari, C.C.G., El Moume, W., and Bensalah, M.K., 2020, The Central Iapetus magmatic province: An updated review and link with the ca. 580 Ma Gaskiers glaciation, *in* Adatte, T., Bond, D.P.G., and Keller, G., eds., Mass Extinctions, Volcanism, and Impacts: New Developments: Geological Society of America Special Paper 544, p. 35–66, https://doi.org/10.1130/2020.2544(02).

Text DR1. References cited in **Table DR1**

Baird, G.B., Figg, S. A., and Chamberlain, K. R. 2014, Intrusive age and geochemistry of the Kebne Dyke Complex in the Seve Nappe Complex, Kebnekaise Massif, arctic Sweden Caledonides: Journal of the Geological Society of Sweden GFF, v. 136, no. 4, p. 556–570, doi.org/10.1080/11035897.2014.924553

Bingen B, Griffin WL, Torsvik TH, Saeed A, 2005, Timing of Late Neoproterozoic glaciation on Baltica constrained by detrital zircon geochronology in the Hedmark Group, southeast Norway: Terra Nova, v. 17, 3, p. 250–258, doi.org/10.1111/j.1365-3121.2005.00609.x

Blein, O., Baudin, T., Chèvremont, P., Soulaimani, A., Admou, H., Gasquet, P., Cocherie, A., Egal, E., Youbi, N., Razin, P., Bouabdelli, M., Gombert, P., 2014a, Geochronological constraints on the polycyclic magmatism in the Bou Azzer-El Graara inlier (Central Anti-Atlas Morocco): Journal of African Earth Sciences, v. 99, p. 287–306, doi.org/10.1016/j.jafrearsci.2014.04.021

Bowring, S.A., Myrow, P.M., Landing, E., and Ramezani, J., 2003, Geochronological constraints on terminal Neoproterozoic events and the rise of metazoans: Geophysical Research Abstracts, v. 5, 13219, p. 219.

Calver, C.R., Black, L.P., Everard, J.L., Seymour, D.B., 2004, U-Pb zircon age constraints on late Neoproterozoic glaciation in Tasmania: Geology, v. 32, p. 893-896. doi:10.1130/G20713.1

Calver, C.R.; Crowley, J.L., Wingate, M.T.D., Evans, D.A.D., Raub, T.D. and Schmitz, M.D., 2013, Globally synchronous Marinoan deglaciation indicated by U-Pb geochronology of

the Cottons Breccia, Tasmania, Australia: Geology, v. 41 (10), p. 1127-1130. doi.org/10.1130/G34568.1

Campanha, G.A.C., Basei, M.S., Tassinari, C.C.G., Nutman, A.P., and Faleiros, F.M., 2008, Constraining the age of the Iporanga Formation with SHRIMP U-Pb zircon: Implications for possible Ediacaran glaciation in the Ribeira Belt, SE Brazil: Gondwana Research, v. 13, p. 117-125, doi.org/10.1016/j.gr.2007.05.010

Chumakov, N.M., 2004, Climates and climate zonality of the Vendian: geological evidence, *in* Vickers-Rich, P., Komarower, P., eds., The Rise and Fall of the Ediacaran Biota. Geological Society of London, v. 286. Special Publications, p. 15-26, https://doi.org/10.1144/SP286.2

De Souza, S.C.D.R., 2015, Revisão estratigráfica das unidades superiores da faixa paraguai norte: litoestratigrafia, quimioestratigrafia (C e Sr) e geocronologia (U-Pb). Mato Grosso, Brasil. 2015. xiv, 98 f., il. Dissertação Nº 349 (Mestrado em Geologia, Master Thesis in Geology)-Universidade de Brasília, Brasília. http://repositorio.unb.br/handle/10482/19599

Dempster, T.J., Rogers, G., Tanner, P.W.G., Bluck, B.J., Muir, R.J., Redwood, S.D., Ireland, T.E., Patterson, B.A., 2002, Timing of deposition, orogenesis and glaciation within the Dalradian rocks of Scotland: constraints from U–Pb zircon ages: Journal of the Geological Society, London, v. 159, p. 83–94, doi.org/10.1144/0016-764901061

Ducrot, J. 1979, Datation à 615 Ma de la grandiorite de Bleida et conséquences sur la chronologie des phases tectoniques, métamorphiques et magmatiques pan-africaines dans I'Anti-Atlas marocain : Bulletin de la Société Géologique de France, v. S7-XXI (4), p. 495-499, doi.org/10.2113/gssgfbull.S7-XXI.4.495

Ducrot, J., 1978, Age pan-africain de la granodiorite de Bleida (Anti-Atlas, Maroc) et conséquences. 6ème Réunion Annuelle des Sciences de la Terre, Orsay, p. 150.

Edwards, M.B., 1984, Sedimentology of the Upper Proterozoic Glacial Record, Vestertana Group, Finnmark, North Norway. Norges Geologiske Undersøkelse Bulletin, vol. 394. 76 p

Etemad-Saeed, N., Hosseini-Barzi, M., Adabi, M., Miller, N. R., Sadeghi, A., Houshmandzadeh, A., & Stockli, D. F., 2016, Evidence for ~560 Ma Ediacaran glaciation in the Kahar Formation, Central Alborz Mountains, northern Iran: Gondwana Research, v. 31, p. 164–183. doi.org/10.1016/j.gr.2015.01.005

Gostin, V.A., McKirdy, D.M., Webster, L.J., and Williams, G.E., 2010, Ediacaran ice-rafting and coeval asteroid impact, South Australia: Insights into the terminal Proterozoic environment: Australian Journal of Earth Sciences, v. 57, p. 859–869, doi:10.1080/08120099.2010.509408.

Graindor, M.J., 1964. Les tillites anté-cambriennes de Normandie : Geologische Rundschau, v. 54, p. 61–83, doi.org/10.1007/BF01821170

Grazhdankin, D.V., Marusin, V.V., Meert, J., Krupenin, M.T., Maslov, A.V., 2011, Kotlin regional stage in the South Urals: Doklady Earth Sciences, v. 440, p. 1222–1226, doi.org/10.1134/S1028334X11090170

Grotzinger, J. P., Bowring, S. A., Saylor, B. Z., and Kaufman, A. J., 1995, Biostratigraphic and Geochronologic Constraints on Early Animal Evolution: Science, v. 270, Issue 5236, p. 598-604, doi: 10.1126/science.270.5236.598

Guerrot, C., and Peucat, J.J., 1990, U-Pb geochronology of the late Proterozoic Cadomian Orogeny in the Northern Armorican Massif, France, in, D'Lemos, R.S., Strathan, R.A. and Topley C.G. eds., The Cadomian Orogeny: Geological Society of London, Special Publications, v. 51, p. 13-26, doi.org/10.1144/GSL.SP.1990.051.01.02

Halliday, A.N., Graham, C.M., Aftalon, M., Dymoke, P.L., 1989, The depositional age of the Dalradian Supergroup: U-Pb and Sm-Nd isotopic studies of the Tayvallich Volcanics,

Scotland: Journal of the Geological Society, London, v. 146, p., 3-6, doi.org/10.1144/gsjgs.146.1.0003

Hanley, L. M., and Wingate, M. T. D., 2000, SHRIMP zircon age for an Early Cambrian dolerite dyke: an intrusive phase of the Antrim Plateau Volcanics of northern Australia: Australian Journal of Earth Sciences, v. 46, 1029-1040,

Hannah, J. L., Stein, H.J., Yang, G., Zimmerman, A., and Bernard Bingen Re-Os Dating of Black Shales: Timing and Duration of Sedimentary Processes. Adapted from oral presentation at AAPG Annual Convention, San Antonio, TX, April 20-23, 2008 Search and Discovery Article #40365 (2008)

He, J.W., Zhu, W.B., Ge, R.F., 2014, New age constraints on Neoproterozoic diamicites in Kuruktag, NW China and Precambrian crustal evolution of the Tarim Craton: Precambrian Research, v. 241, p. 44-60, doi.org/10.1016/j.precamres.2013.11.005

Hoffman, P.F., Li, Z.X., 2009, A palaeogeographic context for Neoproterozoic glaciation. Palaeogeography, Palaeoclimatology, Palaeoecology v. 277, p. 158–172, doi.org/10.1016/j.palaeo.2009.03.013

Hoffman, P.l F., Calver, C.R., Halverson, G.P., 2009, Cottons Breccia of King Island, Tasmania: Glacial or non-glacial, Cryogenian or Ediacaran? : Precambrian Research v. 172, 311-322, doi.org/10.1016/j.precamres.2009.06.003

Hofmann, M., Linnemann, U., Hoffmann, K.-H., Germs, G., Gerdes, A., Marko, L., Eckelmann, K., Gärtner, A., Krause, R., 2015, The four Neoproterozoic glaciations of southern Namibia and their detrital zircon record: The fingerprints of four crustal growth events during two supercontinent cycles Precambrian Research, v. 259, p. 176-188, doi.org/10.1016/j.precamres.2014.07.021

Inglis, J.D., MacLean, J.S., Samson, S.D., D'Lemos, R.S., Admou, H., Hefferan, K., 2004, A precise U-Pb zircon age for the Bleïda granodiorite, Anti-Atlas, Morocco: implications

for the timing of deformation and terrane assembly in the eastern Anti-Atlas: Journal African Earth Sciences, v. 39, p. 277–283, doi:10.1016/j.jafrearsci.2004.07.041

Jourdan, F., Hodges, K., Sell, B., Schaltegger, U., Wingate, M.T.D., Evins, L.Z., Söderlund, U., Haines, P.W., Philips, D., Blenkinsop T., 2014. High-precision dating of the Kalkarindji large igneous province, Australia, and synchrony with the Early–Middle Cambrian (Stage 4–5) extinction: Geology, v. 42, p. 543-546, doi.org/10.1130/G35434.1

Kirsch, M., and Svenningsen, O., 2015, Root zone of a continental rift: the Neoproterozoic Kebnekaise Intrusive Complex, northern Swedish Caledonides, in Söderlund, U., Klausen, M.B., Ernst, R.E., and Bleeke W., eds., New advances in using large igneous provinces (LIPs) to reconstruct ancient supercontinents: Journal of the Geological Society of Sweden GFF, v. 138, 1, p. 31–53, doi.org/10.1080/11035897.2015.1055298

Kumpulainen, R. A., Hamilton, M. A., Söderlund U. , and J. P. Nystuen, 2016, A new U -Pb baddeleyite age for the Ottfjället dolerite dyke swarm in the Scandinavian Caledonides – a minimum age for late Neoproterozoic glaciation in Baltica. 32nd Nordic Geological Winter Meeting, Helsinki, Finland, Abstracts Volume, p. 171-172

Kusky, T.M. and Matsah, M.I., 2003, Neoproterozoic dextral faulting on the Najd Fault System, Saudi Arabia, preceded sinistral faulting and escape tectonics related to closure of the Mozambique Ocean, *in* Yoshida, M., Windley, B. F. & Dasgupta, S., eds., Proterozoic East Gondwana: Supercontinent Assembly and Breakup: Geological Society of London, Special Publications, v. 206 , p. 327–361, doi.org/10.1144/GSL.SP.2003.206.01.16

Kuznetsov, N. B., Belousova, E. A., Krupenin, M. T., Romanyuk, T. V., Maslov, A. V., 2017 The results of geochronological and isotope–geochemical study of zircons from tuff of the Sylvitsa Group (western slope of the Middle Urals): The origin of ash layers in

Vendian rocks of the East European Platform: Doklady Earth Sciences, v. 473, 1, p. 359–362, doi.org/10.1134/S1028334X17030254

Letsch, D., Large, S.J.E., Buechi, M.W., Winkler, W., and von Quadt, A., 2018, Ediacaran glaciations of the west African Craton-Evidence from Morocco: Precambrian Research, v. 310, p. 17–38, doi.org/10.1016/j.precamres.2018.02.015

Linnemann U, Pidal AP, Hofmann M, Drost K, Quesada C, Gerdes A, Marko L, Gärtner A, Zieger J, Ulrich J, Krause R, Vickers-Rich P, Horak J, 2018, A~ 565 Ma old glaciation in the Ediacaran of peri-Gondwanan West Africa: International Journal of Earth Sciences (Geol Rundsch), v. 107,(3), p. 885–911, doi.org/10.1007/s00531-017-1520-7

Mac Gabhann, B. A. 2005, Age constraints on Precambrian glaciations and the subdivision of Neoproterozoic time. Annual Report of IGCP Project 512, 13 p. https://web.viu.ca/earle/geol305/labs/MacGabhann_05_Ediacaran_Subcommission.pdf (accessed June 2018).

Maloof, A.C., 2004, Thermal contraction cracks, polar wandering, and global carbon cycling: non-uniformitarian changes that shaped the Neoproterozoic and Early Cambrian Earth. Unpublished Ph.D thesis, The Department of Earth and Planetary Sciences, Harvard University Cambridge, Massachusetts, U.S.A., 193p.

Maslov, A.V., Meert, J., Levashova, N.M., Ronkin, Yu.L., Grazhdankin, D.V., Kuznetsov, N.B., Krupenin, M.T., Fedorova, N.M., and Ipat'eva, I.S. 2013, New constraints for the age of Vendian glacial deposits (Central Urals): Doklady Earth Sciences, v.449, 1, p. 303–308, doi.org/10.1134/S1028334X13030203

McCay, G.A., Prave, A.R., Alsop, G.I., Fallick, A.E., 2006, Glacial trinity: Neoproterozoic Earth history within the British-Irish Caledonides: Geology, v. 34, p. 909–912, doi.org/10.1130/G22694A.1

McGee, B., Collins, A. S., Trindade, R. I. F., Payne, J., 2015, Age and provenance of the Cryogenian to Cambrian passive margin to foreland basin sequence of the northern Paraguay Belt, Brazil: Geological Society of America Bulletin, v. 127, (1-2), p. 76-86, doi:10.1130/B30842.1

McGee, B., Collins, A.S., and Trindade, R.I., 2013, A glacially incised canyon in Brazil: Further evidence for mid-Ediacaran glaciation?: Journal of Geology, v. 121, p. 275–287, doi:10.1086/669979.

Miller, N., Johnson, P.R., and Stern, R. J., 2008, Marine versus non-marine environments for the Jibalah Group, NW Arabian Shield: a sedimentologic and geochemical survey and report of possible metazoa in the Dhaiqa Formation: The Arabian Journal for Science and Engineering, v. 33,1C, p. 55-77.

Nystuen, J., 1976, Late Precambrian Moelv tillite deposited on a discontinuity surface associated with a fossil ice wedge, Rendalen, southern Norway: Norsk Geologiske Tidsskrift, v. 56, 29–50.

Paulsson, O., and Andréasson, P.G., 2002, Attempted break-up of Rodinia at 850 Ma: geochronological evidence from the Seve–Kalak Superterrane, Scandinavian Caledonides: Journal of the Geological Society, v. 159, p. 751–761, doi.org/10.1144/0016-764901-156

Pu J.P., Bowring S.A., Ramezani J., Myrow P., Raub T.D., Landing E., Mills A., Hodgin E., Macdonald F.A., 2016, Dodging snowballs: geochronology of the Gaskiers glaciation and the first appearance of the Ediacaran biota: Geology, v. 44, (11), p. 955-958, doi.org/10.1130/G38284.1

Rice, A.H.N., Edwards, M.B., Hansen, T.A., Arnaud, E. & Halverson, G.P., 2011. Glaciogenic rocks of the Neoproterozoic Smalfjord and Mortensnes formations, Vestertana Group, E. Finnmark, Norway, *in* Arnaud, E., Halverson, G.P. and Shields-

Zhou, G. eds., The Geological Record of Neoproterozoic Glaciations. Geological Society London, Memoirs v. 36, p. 593–602, doi.org/10.1144/M36.57

Ronkin, Yu. L., Grazhdankin, D. V., Maslov A. V., Mizens, G. A., Matukov D. I., Krupenin M. T., Petrov G. A., Lepikhina O. P., Kornilova, A. Yu., 2006, U-Pb (SHRIMP II) age of zircons from ash beds of the chernokamen formation, Vendian Sylvitsa group (Central Urals): Doklady Earth Sciences, v. 411, Issue 2, p. 1341–1345, doi.org/10.1134/S1028334X06090029

Smith, A.G., 2009, Neoproterozoic timescales and stratigraphy, *in* Craig, J., Thurow, J., Thusu, B., Whitham, A., and Abutarruma, Y., eds., Global Neoproterozoic Petroleum Systems: The Emerging Potential in North Africa: Geological Society, London, Special Publications 326, p. 27 –54. doi.org/10.1144/SP326.2

Spence, G.H., Le Heron, D.P., and Fairchild, I.J., 2016, Sedimentological perspectives on climatic, atmospheric and environmental change in the Neoproterozoic Era: Sedimentology, v. 63, p. 253–306, doi:10.1111/sed.12261.

Svenningsen, O.M., 2001, Onset of seafloor spreading in the Iapetus Ocean at 608 Ma: precise age of the Sarek Dyke Swarm, northern Swedish Caledonides: Precambrian Research, v. 110, p. 241–245, doi.org/10.1016/S0301-9268(01)00189-9

Thompson MD, Ramezani J, Crowley JL (2014) U-Pb zircon geochronology of Roxbury Conglomerate, Boston Basin, Massachusetts: Tectono-stratigraphic implications for Avalonia in and beyond SE New England: American Journal of Science, v. 314 no. 6, p. 1009-1040, doi: 10.2475/06.2014.02

Thompson, M. D., and Bowring, S. A., 2000, Age of the Squantum “Tillite,” Boston Basin, Massachusetts: U-Pb zircon constraints on terminal Neoproterozoic glaciation: American Journal of Science, v. 300, p. 630–655, doi.org/10.2475/ajs.300.8.630

Vickers-Rich P., Fedonkin M.A., 2007, The proterozoic (2.5 billion to 542 million years ago), *in* Fedonkin M.A., Gehling J.G., Grey K., Narbonne G.M., Vickers-Rich P. eds, The rise of animals. Evolution and Diversification of the Kingdom Animalia. The Johns Hopkins University Press, Baltimore, p. 29–51

Xiao, S.-H., Bao, H.-M., Wang, H., Kaufman, A.J., Zhou, C., Li, G., Yuan, X., Ling, H., 2004, The Neoproterozoic Quruqtagh Group in eastern Chinese Tianshan: evidence for a post-Marinoan glaciation: Precambrian Research, v. 130, p., 1-26, doi.org/10.1016/j.precamres.2003.10.013

Xu, B., Xiao, S., Zou, H.-B., Chen, Y., Li, Z.-X., Song, B., Liu, D.-Y., Zhou, C.-M., Yuan, X.-L., 2009, SHRIMP zircon U–Pb age constraints on Neoproterozoic Quruqtagh diamictites in NW China: Precambrian Research, v. 168, p., 247–258, doi.org/10.1016/j.precamres.2008.10.008