GSA Data Repository Item 2020138

Shangjing Wu, Changqing Yin, Donald W. Davis, Jian Zhang, Jiahui Qian, Hengzhong Qiao, Yanfei Xia, and Jingna Liu, 2020, Metamorphic evolution of high-pressure felsic and pelitic granulites from the Qianlishan Complex and tectonic implications for the Khondalite Belt, North China Craton: GSA Bulletin, https://doi.org/10.1130/B35502.1.

Data Repository

TABLE DR1. CHEMICAL DIFFERENCE AND MINERALOGICAL CHARACTERISTICS OF HIGH-PRESSURE FELSIC AND PELITIC GRANULITES

TABLE DR2. BULK COMPOSITIONS OF FELSIC AND PELITIC GRANULITES FOR PHASE EQUILIBRIA MODELLING

TABLE DR3. SELECTED MICROPROBE ANALYSES FOR FELSIC GRANULITE SAMPLES

TABLE DR4. SELECTED MICROPROBE ANALYSES FOR PELITIC GRANULITE SAMPLES

TABLE DR5. SIMS TH-U-Pb DATA OF ZIRCONS OF FELSIC GRANULITE SAMPLES

TABLE DR1. CHEMICAL DIFFERENCE AND MINERALOGICAL CHARACTERISTICS OF HIGH-PRESSURE FELSIC AND PELITIC GRANULITES

Rock type	Bulk composition	Peak mineral assemblage	Post-peak mineral assemblage	Retrograde mineral assemblage
Felsic granulite	Si-rich; Al-Mg-Fe poor	Grt+Ksp±Ky+Pl+Bi+Liq+Qz+Ilm	Grt+Ksp+Sill+Pl+Bi+Liq+Qz+Ilm	Grt±Ksp+Sill+Pl+Bi+Qz+Ilm
Pelitic granulite	Al-K-Mg-Fe rich; Si-Poor	Grt+Ksp+Ky+Pl+Bi+Liq+Qz+Ilm	Grt+Ksp+Sill+Cd+Pl+Bi+Liq+Qz+Ilm	Grt+Ksp+Sill+Cd+Pl+Bi+Qz+Ilm

TABLE DR2. BULK COMPOSITIONS OF FELSIC AND PELITIC GRANULITES FOR PHASE EQUILIBRIA MODELLING

Sample	ICP-OES whole-rock compositions (wt.%)											
	Number	SiO_2	TiO_2	Al_2O_3	TFe_2O_3	MnO	MgO	CaO	Na_2O	K_2O	P_2O_5	LOI
Felsic granulite	QL03-1	74.95	0.52	11.28	4.82	0.07	1.36	1.26	1.83	2.66	0.13	0.42
Felsic granulite	QL04-1	78.34	0.44	10.22	3.91	0.05	1.37	0.82	1.97	1.45	0.12	1.44
Pelitic granulite	QL03-2	52.55	0.87	23.24	8.85	0.05	3.33	1.14	1.49	4.45	0.05	3.11
Pelitic granulite	QL05-1	46.63	0.94	30.85	10.28	0.10	4.36	0.50	1.01	3.22	0.01	1.79

Sample	Normalized molar proportion (mol.%)											
	Number	H_2O	SiO_2	AL_2O_3	CaO	MgO	FeO	K_2O	Na_2O	TiO_2	O	Total
Felsic granulite	QL03-1	1.55	79.82	7.08	1.24	2.16	3.86	1.81	1.89	0.42	0.17	100
Felsic granulite	QL04-1	1.53	82.63	6.35	0.75	2.15	3.10	0.98	2.01	0.35	0.15	100
Pelitic granulite	QL03-2	2.60	60.72	15.82	1.33	5.74	7.69	3.29	1.67	0.76	0.38	100
Pelitic granulite	QL05-1	3.60	53.73	20.95	0.60	7.49	8.91	2.37	1.13	0.81	0.40	100

TABLE DR3. SELECTED MICROPROBE ANALYSES FOR FELSIC GRANULITE SAMPLES

Sample:	QL03-1										QL04-1								
Mineral:	Grt	Grt	Grt	Pl	Pl	Pl	Bi	Bi	Bi	Ksp	Grt	Grt	Pl	Pl	Bi	Bi	Bi	Bi	Ksp
Petrographic location:	Core	Mantle	Rim	Matrix	Matrix	Contact garnet	Matrix	Contact garnet	Contact garnet	Matrix	Core	Mantle	Matrix	Matrix	Matrix	Matrix	Contact garnet	Contact garnet	Matrix
SiO_2	37.93	37.25	37.11	61.87	61.98	61.87	36.64	36.29	36.03	64.21	37.14	36.10	61.41	61.06	35.49	36.31	36.34	34.96	64.16
TiO_2	0.03	0.01	0.00	0.03	0.00	0.00	4.62	2.99	2.47	0.00	0.02	0.04	0.02	0.02	4.66	4.02	3.23	3.14	0.00
Al_2O_3	21.69	21.36	21.06	23.54	23.55	24.24	16.82	16.93	16.90	18.48	21.20	20.47	24.04	24.04	16.89	17.28	16.43	17.41	18.21
Cr_2O_3	0.02	0.00	0.00	0.00	0.05	0.03	0.03	0.09	0.02	0.00	0.02	0.01	0.00	0.00	0.10	0.11	0.03	0.06	0.03
Fe_2O_3	0.03	1.22	0.61	0.09	0.00	0.02	0.00	0.00	0.00	0.13	1.57	0.94	0.01	0.00	0.00	0.00	0.00	0.00	0.03
FeO	32.23	31.25	33.54	0.00	0.00	0.00	17.56	16.92	17.03	0.00	32.22	33.37	0.00	0.00	19.41	18.74	17.84	17.60	0.00
MnO	0.82	0.79	0.99	0.01	0.02	0.00	0.00	0.02	0.00	0.04	0.98	0.86	0.03	0.00	0.02	0.08	0.00	0.04	0.00
MgO	6.27	6.39	4.91	0.00	0.00	0.00	10.61	11.64	12.26	0.01	5.26	4.13	0.00	0.00	8.63	9.46	11.02	9.92	0.00
CaO	0.88	0.81	0.79	5.02	5.11	5.51	0.02	0.00	0.00	0.04	1.26	0.98	5.53	5.50	0.05	0.04	0.03	0.04	0.02
Na_2O	0.00	0.02	0.02	9.04	9.02	8.47	0.12	0.10	0.09	1.00	0.04	0.05	8.83	8.71	0.06	0.11	0.24	0.13	1.09
K_2O	0.00	0.00	0.00	0.35	0.19	0.27	10.09	8.64	9.54	15.77	0.01	0.04	0.20	0.21	10.03	9.81	8.90	9.34	15.57
Total	99.91	98.98	98.96	99.94	99.91	100.42	96.51	93.60	94.33	99.70	99.58	96.89	100.06	99.54	95.35	95.95	94.07	92.65	99.13
O	12	12	12	8	8	8	11	11	11	8	12	12	8	8	11	11	11	11	8
Si	2.99	2.96	2.99	2.75	2.75	2.74	2.74	2.77	2.75	2.98	2.96	2.98	2.73	2.73	2.72	2.74	2.78	2.72	2.99
Ti	0.00	0.00	0.00	0.00	0.00	0.00	0.26	0.17	0.14	0.00	0.00	0.00	0.00	0.00	0.27	0.23	0.19	0.18	0.00
Al	2.02	2.00	2.00	1.23	1.23	1.26	1.48	1.52	1.52	1.01	1.99	1.99	1.26	1.27	1.53	1.54	1.48	1.60	1.00
Cr	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00
Fe^{3+}	0.00	0.07	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.09	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Fe^{2+}	2.13	2.08	2.26	0.00	0.00	0.00	1.10	1.08	1.09	0.00	2.15	2.30	0.00	0.00	1.24	1.18	1.14	1.15	0.00
Mn	0.06	0.05	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.06	0.00	0.00	0.00	0.01	0.00	0.00	0.00
Mg	0.74	0.76	0.59	0.00	0.00	0.00	1.18	1.32	1.39	0.00	0.63	0.51	0.00	0.00	0.99	1.07	1.26	1.15	0.00
Ca	0.07	0.07	0.07	0.24	0.24	0.26	0.00	0.00	0.00	0.00	0.11	0.09	0.26	0.26	0.00	0.00	0.00	0.00	0.00
Na	0.00	0.00	0.00	0.78	0.78	0.73	0.02	0.01	0.01	0.09	0.01	0.01	0.76	0.76	0.01	0.02	0.04	0.02	0.10
K	0.00	0.00	0.00	0.02	0.01	0.02	0.96	0.84	0.93	0.93	0.00	0.00	0.01	0.01	0.98	0.95	0.87	0.93	0.93
Sum	8.00	8.00	8.00	5.03	5.02	5.00	7.75	7.73	7.82	5.03	8.00	8.00	5.03	5.02	7.74	7.74	7.75	7.77	5.02
Xpy*	0.25	0.26	0.20	-	-	-	-	-	-	-	0.21	0.17	-	-	-	-	-	-	-
Xsps[†]	0.02	0.02	0.02	-	-	-	-	-	-	-	0.02	0.02	-	-	-	-	-	-	-
Xalm[§]	0.71	0.70	0.76	-	-	-	-	-	-	-	0.73	0.78	-	-	-	-	-	-	-
Xgrs[#]	0.02	0.02	0.02	-	-	-	-	-	-	-	0.04	0.03	-	-	-	-	-	-	-
X(phase)**	0.26	0.27	0.21	0.23	0.24	0.26	0.52	0.55	0.56	0.00	0.23	0.18	0.25	0.26	0.44	0.47	0.52	0.50	0.00
Y(phase)[††]	0.03	0.02	0.02	0.02	0.01	0.01	-	-	-	0.91	0.04	0.03	0.01	0.01	-	-	-	-	0.90

Notes: Major oxides are given in wt%, and cations are reported per formular unit (pfu); *Xpy = Mg/(Fe^{2+} + Mg + Mn + Ca); [†]Xsps = Mn/(Fe^{2+} + Mg + Mn + Ca); [§]Xalm = Fe^{2+}/(Fe^{2+} + Mg + Mn + Ca); [#]Xgrs = Ca/(Fe^{2+} + Mg + Mn + Ca).

**X(g) = Mg/(Fe^{2+} + Mg); **X(pl) = Ca/(Ca + Na + K); **X(bi)=Mg/(Fe^{2+} + Mg); [††]Y(g) = Ca/(Fe^{2+} + Mg + Ca); [††]Y(pl) = K/(Ca + Na + K).

TABLE DR4. SELECTED MICROPROBE ANALYSES FOR PELITIC GRANULITE SAMPLES

Sample:	QL03-2											-	QL05-1								
Mineral:	Grt	Grt	Grt	Pl	Pl	Bi	Bi	Bi	Bi	Cd	Cd		Grt	Grt	Grt	Pl	Pl	Bi	Bi	Cd	Cd
Petrographic location:	Core	Mantle	Rim	Matrix	Contact garnet	Matrix	Matrix	Matrix	Inclusion	Matrix	Matrix		Core	Mantle	Rim	Contact garnet	Contact garnet	Matrix	Matrix	Matrix	Matrix
SiO_2	36.81	36.93	37.12	61.12	60.56	36.60	37.18	33.25	34.96	49.29	48.64		37.27	37.36	37.10	61.11	59.48	35.48	35.15	48.86	48.43
TiO_2	0.04	0.02	0.00	0.05	0.02	4.53	3.43	2.91	1.39	0.00	0.00		0.01	0.03	0.04	0.00	0.04	4.04	3.54	0.03	0.00
Al_2O_3	20.89	21.09	20.63	24.64	25.30	16.36	17.14	17.39	17.28	32.15	31.22		21.14	21.03	20.71	24.89	25.47	17.37	17.48	30.72	31.03
Cr_2O_3	0.05	0.00	0.27	0.05	0.03	0.22	0.23	0.22	0.11	0.01	0.00		0.02	0.01	0.00	0.00	0.01	0.24	0.26	0.02	0.07
Fe_2O_3	2.04	2.12	0.72	0.14	0.04	0.00	0.00	3.03	2.82	0.00	0.00		1.59	0.64	0.58	0.16	0.11	0.00	0.00	0.00	0.00
FeO	30.88	31.88	35.50	0.00	0.00	17.56	16.59	15.46	14.81	6.66	7.81		31.31	31.83	33.87	0.00	0.00	18.96	18.09	7.66	8.48
MnO	0.46	0.75	0.87	0.03	0.04	0.03	0.01	0.03	0.02	0.02	0.02		0.49	0.45	0.50	0.01	0.00	0.06	0.03	0.01	0.04
MgO	5.88	5.49	3.69	0.00	0.00	10.69	11.35	12.27	11.84	9.17	8.66		5.89	5.86	4.83	0.00	0.00	9.61	9.77	8.63	8.08
CaO	1.69	1.33	1.01	6.22	6.79	0.00	0.00	0.00	0.02	0.01	0.02		1.74	1.48	1.07	6.67	7.58	0.00	0.00	0.02	0.01
Na_2O	0.02	0.01	0.02	7.99	7.08	0.06	0.10	0.08	0.09	0.08	0.10		0.01	0.02	0.00	7.78	7.26	0.09	0.10	0.09	0.08
K_2O	0.00	0.00	0.01	0.14	0.08	9.24	8.90	6.16	8.26	0.00	0.00		0.00	0.01	0.01	0.11	0.10	9.18	9.15	0.02	0.00
Total	98.54	99.41	99.77	100.39	99.96	95.32	94.94	90.80	91.33	97.40	96.47		99.32	98.64	98.66	100.74	100.06	95.04	93.59	96.07	96.22
O	12	12	12	8	8	11	11	11	11	18	18		12	12	12	8	8	11	11	18	18
Si	2.95	2.95	2.99	2.71	2.69	2.76	2.79	2.60	2.72	5.08	5.09		2.96	2.99	3.00	2.70	2.65	2.71	2.71	5.13	5.10
Ti	0.00	0.00	0.00	0.00	0.00	0.26	0.19	0.17	0.08	0.00	0.00		0.00	0.00	0.00	0.00	0.00	0.23	0.21	0.00	0.00
Al	1.97	1.98	1.96	1.29	1.32	1.46	1.52	1.61	1.59	3.90	3.85		1.98	1.98	1.97	1.30	1.34	1.56	1.59	3.80	3.85
Cr	0.00	0.00	0.02	0.00	0.00	0.01	0.01	0.01	0.01	0.00	0.00		0.00	0.00	0.00	0.00	0.00	0.01	0.02	0.00	0.01
Fe^{3+}	0.12	0.13	0.04	0.01	0.00	0.00	0.00	0.18	0.17	0.00	0.00		0.10	0.04	0.04	0.01	0.00	0.00	0.00	0.00	0.00
Fe^{2+}	2.07	2.13	2.39	0.00	0.00	1.11	1.04	1.01	0.96	0.57	0.68		2.08	2.13	2.29	0.00	0.00	1.21	1.17	0.67	0.75
Mn	0.03	0.05	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.03	0.03	0.03	0.00	0.00	0.00	0.00	0.00	0.00
Mg	0.70	0.65	0.44	0.00	0.00	1.20	1.27	1.43	1.37	1.41	1.35		0.70	0.70	0.58	0.00	0.00	1.09	1.12	1.35	1.27
Ca	0.15	0.11	0.09	0.30	0.32	0.00	0.00	0.00	0.00	0.00	0.00		0.15	0.13	0.09	0.32	0.36	0.00	0.00	0.00	0.00
Na	0.00	0.00	0.00	0.69	0.61	0.01	0.02	0.01	0.01	0.02	0.02		0.00	0.00	0.00	0.67	0.63	0.01	0.02	0.02	0.02
K	0.00	0.00	0.00	0.01	0.01	0.89	0.85	0.62	0.82	0.00	0.00		0.00	0.00	0.00	0.01	0.01	0.89	0.90	0.00	0.00
Sum	8.00	8.00	8.00	4.99	4.96	7.70	7.69	7.64	7.74	10.98	11.00		8.00	8.00	8.00	4.99	4.99	7.73	7.74	10.98	10.99
Xpy	0.24	0.22	0.15	-	-	-	-	-	-	-	-		0.24	0.23	0.19	-	-	-	-	-	-
Xsps	0.01	0.02	0.02	-	-	-	-	-	-	-	-		0.01	0.01	0.01	-	-	-	-	-	-
Xalm	0.70	0.72	0.80	-	-	-	-	-	-	-	-		0.70	0.71	0.76	-	-	-	-	-	-
Xgrs	0.05	0.04	0.03	-	-	-	-	-	-	-	-		0.05	0.04	0.03	-	-	-	-	-	-
X(phase)	0.25	0.23	0.16	0.30	0.34	0.52	0.55	0.59	0.59	0.30	0.34		0.25	0.25	0.20	0.32	0.36	0.47	0.49	0.33	0.37
Y(phase)	0.05	0.04	0.03	0.01	0.01	-	-	-	-	-	-		0.05	0.04	0.03	0.01	0.01	-	-	-	-

Notes: Major oxides are given in wt%, and cations are reported per formular unit (pfu); *Xpy = Mg/(Fe^{2+} + Mg + Mn + Ca); †Xsps = Mn/(Fe^{2+} + Mg + Mn + Ca); §Xalm = Fe^{2+}/(Fe^{2+} + Mg + Mn + Ca); #Xgrs = Ca/(Fe^{2+} + Mg + Mn + Ca).

**X(g) = Mg/(Fe^{2+} + Mg); **X(pl) = Ca/(Ca + Na + K); **X(bi)=Mg/(Fe^{2+} + Mg); **X(cd)=Fe/(Fe + Mg); ††Y(g) = Ca/(Fe^{2+} + Mg + Ca); ††Y(pl) = K/(Ca + Na + K).

TABLE DR5. SIMS TH-U-PB DATA OF ZIRCONS OF FELSIC GRANULITE SAMPLES

Sample	Type	U	Th	Th/U	f_{206}*	$^{207}Pb/^{206}Pb$	±σ	$^{207}Pb/^{235}U$	±σ	$^{206}Pb/^{238}U$	±σ	Disc.†	Age (Ma)					
spot		(ppm)	(ppm)		%		%		%		%	%	$^{207}Pb/^{206}Pb$	±σ	$^{207}Pb/^{235}U$	±σ	$^{206}Pb/^{238}U$	±σ
QL01-2 (Felsic Granulite)																		
1	b#	2338	994	0.43	2.26	0.09288	2.66	2.04847	6.17	0.1600	5.56	-38.3	1485.5	49.5	1131.8	43.0	956.5	49.7
2	b#	2700	331	0.12	0.95	0.09915	1.02	2.24804	2.38	0.1644	2.15	-42.0	1608.1	18.8	1196.2	16.9	981.4	19.6
3	b#	1430	15	0.01	1.45	0.09575	1.84	2.19093	2.38	0.1660	1.50	-38.6	1542.9	34.3	1178.2	16.7	989.8	13.8
4	b#	791	46	0.06	2.71	0.09260	2.87	2.16727	3.24	0.1697	1.50	-34.2	1479.8	53.5	1170.6	22.8	1010.7	14.1
5	b#	1107	234	0.21	0.78	0.09305	0.41	2.74622	1.56	0.2141	1.51	-17.6	1488.9	7.7	1341.1	11.7	1250.4	17.1
6	b#	1050	387	0.37	0.62	0.11264	0.89	3.68520	2.69	0.2373	2.54	-28.3	1842.5	16.1	1568.2	21.7	1372.6	31.5
7	b#	2567	738	0.29	0.69	0.11923	0.50	4.55874	1.77	0.2773	1.70	-21.2	1944.6	8.9	1741.8	14.9	1577.8	23.9
8	b#	612	87	0.14	0.27	0.11049	0.28	4.31038	1.78	0.2829	1.76	-12.6	1807.5	5.1	1695.3	14.8	1606.1	25.0
9	b#	1685	604	0.36	0.20	0.12158	0.14	4.92804	1.51	0.2940	1.50	-18.2	1979.5	2.4	1807.1	12.8	1661.4	22.0
10	b#	661	353	0.53	0.42	0.11899	0.54	5.22982	2.82	0.3188	2.77	-9.3	1941.1	9.6	1857.5	24.3	1783.7	43.3
11	a§	355	197	0.56	1.50	0.12165	0.61	5.36581	1.63	0.3199	1.51	-11.1	1980.5	10.8	1879.4	14.0	1789.3	23.6
12	b#	858	5	0.01	0.04	0.11499	0.26	5.14950	1.53	0.3248	1.50	-4.1	1879.8	4.7	1844.3	13.1	1813.0	23.8
13	b#	1397	327	0.23	□□	0.11797	0.73	5.50155	3.77	0.3382	3.70	-2.8	1925.7	13.1	1900.8	32.9	1878.1	60.5
14	b#	57	101	1.76	1.72	0.12007	1.24	5.72263	1.95	0.3457	1.50	-2.6	1957.3	22.0	1934.8	17.0	1913.9	24.9
15	b#	660	103	0.16	0.51	0.12038	0.87	5.90447	1.73	0.3557	1.50	0.0	1961.8	15.4	1961.9	15.2	1961.9	25.4
16	a§	114	44	0.39	0.68	0.12291	0.55	6.04480	1.60	0.3567	1.50	-1.9	1998.8	9.7	1982.3	14.0	1966.5	25.5
17	b#	547	87	0.16	0.07	0.12195	0.65	6.06958	1.65	0.3610	1.52	0.1	1985.0	11.5	1985.9	14.5	1986.7	26.0
18	a§	124	72	0.58	0.93	0.12234	0.73	6.14046	1.67	0.3640	1.50	0.6	1990.6	13.0	1996.0	14.7	2001.2	25.9
19	a§	1316	174	0.13	0.12	0.15217	0.12	8.12770	1.51	0.3874	1.50	-12.8	2370.5	2.0	2245.3	13.7	2110.7	27.1
20	a§	1411	218	0.15	0.05	0.16078	0.20	10.02760	1.51	0.4523	1.50	-2.8	2463.9	3.3	2437.3	14.1	2405.7	30.2
21	a§	137	51	0.37	0.03	0.19536	0.28	14.49420	1.53	0.5381	1.50	-0.5	2787.8	4.6	2782.6	14.6	2775.5	34.0
22	a§	46	14	0.30	0.21	0.20132	1.65	20.17887	2.54	0.7269	1.93	31.5	2837.0	26.6	3100.0	24.9	3522.0	52.6
QL04-1(Felsic Granulite)																		
1	b#	667	33	0.05	1.48	0.10271	0.89	2.54802	2.43	0.1799	2.27	-39.3	1673.6	16.3	1285.9	17.9	1066.6	22.3
2	b#	503	474	0.94	1.74	0.11101	0.86	3.42052	1.73	0.2235	1.50	-31.3	1816.1	15.6	1509.1	13.7	1300.2	17.7
3	b#	624	172	0.28	1.12	0.11153	0.59	3.77867	1.79	0.2457	1.69	-24.9	1824.6	10.7	1588.2	14.5	1416.3	21.5
4	b#	323	79	0.25	0.80	0.11131	0.99	4.03033	1.80	0.2626	1.51	-19.5	1820.9	17.8	1640.3	14.8	1503.2	20.2
5	a§	449	147	0.33	0.29	0.12137	0.56	4.42371	1.61	0.2643	1.51	-26.3	1976.5	9.9	1716.8	13.4	1512.0	20.4
6	b#	655	161	0.25	0.49	0.11675	0.51	4.31848	1.61	0.2683	1.53	-22.1	1907.1	9.1	1696.9	13.4	1532.0	20.9
7	a§	275	62	0.23	0.77	0.12304	0.59	5.01401	1.61	0.2956	1.50	-18.8	2000.8	10.5	1821.7	13.8	1669.2	22.1
8	b#	306	33	0.11	1.17	0.11175	2.53	4.66470	2.96	0.3027	1.55	-7.7	1828.1	45.1	1760.9	25.1	1704.8	23.2
9	b#	348	18	0.05	0.28	0.11693	0.65	4.91708	1.67	0.3050	1.54	-11.6	1909.9	11.7	1805.2	14.2	1715.9	23.2
10	a§	347	97	0.28	0.61	0.12266	0.65	5.19555	1.78	0.3072	1.65	-15.3	1995.2	11.6	1851.9	15.2	1727.0	25.1
11	b#	240	112	0.47	0.38	0.11912	0.50	5.08399	1.58	0.3095	1.50	-12.0	1943.0	8.9	1833.4	13.5	1738.5	22.9
12	a§	156	67	0.43	0.24	0.12769	1.06	6.09588	1.84	0.3463	1.50	-8.4	2066.3	18.5	1989.7	16.2	1916.7	25.0

TABLE DR5 (CONTINUED)

13	b[#]	159	157	0.98	0.26	0.11852	0.70	5.71117	1.66	0.3495	1.50	-0.1	1934.1	12.4	1933.1	14.4	1932.1	25.1
14	a[§]	186	95	0.51	0.34	0.12437	0.94	6.32642	1.77	0.3689	1.50	0.3	2019.9	16.7	2022.1	15.7	2024.3	26.1
15	a[§]	185	69	0.37	0.12	0.12561	0.86	6.45238	1.73	0.3725	1.50	0.2	2037.5	15.1	2039.4	15.3	2041.4	26.3
16	b[#]	145	89	0.61	0.61	0.11896	1.15	6.14079	1.89	0.3744	1.50	6.6	1940.6	20.4	1996.1	16.7	2050.1	26.5
17	a[§]	76	16	0.21	0.29	0.12370	1.25	6.63562	2.00	0.3891	1.56	6.3	2010.2	22.0	2064.1	17.8	2118.5	28.3
18	b[#]	204	58	0.29	0.29	0.12201	1.23	6.57754	1.95	0.3910	1.51	8.4	1985.8	21.8	2056.3	17.4	2127.4	27.5
19	a[§]	64	25	0.40	0.39	0.12904	1.53	6.97767	2.22	0.3922	1.60	2.7	2085.0	26.7	2108.6	19.9	2132.9	29.2
20	a[§]	251	120	0.48	0.07	0.12998	0.42	7.08263	1.56	0.3952	1.50	2.8	2097.7	7.4	2121.9	14.0	2146.9	27.5
21	a[§]	110	41	0.37	0.11	0.12303	1.57	6.71931	2.17	0.3961	1.50	8.9	2000.6	27.6	2075.2	19.4	2151.1	27.5
22	a[§]	172	82	0.48	0.05	0.13530	0.89	7.61588	2.25	0.4082	2.06	2.1	2167.9	15.5	2186.7	20.4	2206.9	38.7
23	a[§]	84	7	0.09	0.10	0.12613	1.52	8.16413	2.16	0.4695	1.53	25.8	2044.7	26.7	2249.4	19.7	2481.2	31.5

Notes: *f^{206} is the percentage of common ^{206}Pb in total measured ^{206}Pb.

[†] Disc. (%) denotes degree of discordance.

[§] a = Igneous zircon.

[#] b = Metamorphic zircon.